

# Nehru Bhawan, 5 Institutional Area, Phase-II Vasant Kunj, New Delhi – 110 070

**CHAPTER - 1** 

#### TENDER DOCUMENT

Subject:

Submission of Tender for fabrication of stalls using octonorm system, erecting of structure (Hangar), installation of electrical fittings, PA system, etc. on hire basis for the following Book Fairs to be organized by NATIONAL BOOK TRUST, India (NBT) during the current Financial Year 2019-20:

S.No	Name of the Book Fairs	Tentative Dates
1.	Nagpur Book Fair, Maharashtra	February-March 2020
2.	Bengaluru Book Fair, Karnataka	February-March 2020
3.	Aizawl Book Fair, Mizoram	February-March 2020
4.	Meghalaya Book Fair, Shillong	February-March 2020

Sealed tenders/bids are hereby invited for fabrication of stalls using octonorm system, erecting of structure (Hangar), installation of electrical fittings, PA system, etc. on hire basis for the book fairs to be organized during the current Financial Year 2019-20 from eligible contractors having minimum experience of 3 years with Central or State Government or Public sector undertaking/Autonomous bodies of providing similar services with annual turnover of 25 lakhs per annum in the last three financial years.

- 2. The Tender document containing terms & conditions can be obtained from the Office of the Deputy Director (Exhibition), National Book Trust, India, Nehru Bhawan, 5 Institutional Area, Phase-II, Vasant Kunj, New Delhi-110070 on any working day between 9:30 a.m. and 5:00 p.m. as per the schedule given in the tabulated form at next page (Except Saturdays, Sundays and Government Holidays) on payment of Rs.1,180/- inclusive of GST (Rupees One Thousand One Hundred and Eighty only) (Non-Refundable) for each book fair in the form of cash/demand draft favoring National Book Trust, India payable at New Delhi. The Tender document can also be downloaded from our website i.e. <a href="www.nbtindia.gov.in">www.nbtindia.gov.in</a> and submitted with separate Demand Draft of Rs.1,180/- towards Tender Fee (Non-Refundable) along with EMD and Tender for each book fair.
- 3. Tender should be submitted in two sealed envelopes, **TECHNICAL BID** (Envelope-I) shall contain Earnest Money Deposit (EMD), prequalification documents, Tender conditions, Bill of Quantity /work specifications duly signed by the authorized person or persons as a token of acceptance of terms and conditions of contract and work specification, and the Application form. **FINANCIAL BID** (Envelope II) shall contain Priced Schedule of quantities.
- 5. The Technical Bids of the Book Fairs shall be opened on 10 February 2020 at 11:30 a.m. in the presence of the Tenderers or their representatives who wish to be present. The technical bids shall be scrutinized by NBT Committee constituted for the purpose. The Financial bids of only those contractors whose technical bids are acceptable to NBT shall be opened and the decision of NBT in this regard shall be final and binding. The Financial bids of those Bidders who qualify the technical requirements of the Tender form will be opened on same day i.e. 10 February 2020 at 11:30 a.m.

6. Tender can be obtained from the office of NBT as per following schedule.

S.No.	Tender Schedule	Date and Time
1.	Date of Issue of Tender Document	25-1-2020 to 10-2-2020 till 10:30 a.m.
2.	Last Date for Submission of Bids	10-2-2020 up to 11:00 a.m.
3.	Date for opening of Technical Bids	10-2-2020 at 11:30 a.m.
4.	Date of opening of Financial Bids	10-2-2020 at 11:30 a.m.

- 7.1 The Bidders should quote in figures as well as in words the rates and amount tendered by them in the price schedule. The amount for each item should be quoted and the requisite totals should also be given. The rates quoted in the Price Schedule shall be inclusive of all taxes, levies etc. except GST which shall be paid at rates applicable from time to time as per GST ACT. No extra amount shall be payable in addition to the accepted rate as per the Price Schedule. If there is any discrepancy in rates between words and figures, the amount in words will prevail.
- 7.2 The final bill / tax invoice submitted to NBT should mention the GST number of both the contractor as well as NBT.
- 8.1 Earnest Money Deposit (EMD) amounting to Rs.50,000/- for each Book Fair is to be deposited separately with each Tender in the form of Demand Draft/Pay Order/Banker's Cheque payable at New Delhi drawn in the favour of National Book Trust, India, otherwise the tender is liable to be rejected. Please ensure that each <u>Technical Bid should accompany</u> the EMD of Rs.50,000/- and Tender Fee of Rs.1,180/-, failing which the Technical Bid shall be rejected.
- 8.2 The bidders are applying for more than one tender (as per the Book Fair mentioned on Page No.1), are advised to enclose only one set of technical documents. However, the financial bid should be enclosed in separate sealed envelopes for each Fair with clear marking on each envelope of the respective book fair tender applied for.
- 9. The Tenderer shall bear all costs associated with the preparation of his Tender including cost of preparation for the purposes of clarification on the Tender, if so desired by NBT. The NBT in no case will be responsible or liable for these costs, regardless of the conduct or outcome of the Tendering process.
- 10. The acceptance of a tender will rest solely with the Competent Authority of NBT, who is not bound to accept the lowest bid and reserves the authority to reject any or all the tenders without assigning any reasons whatsoever. All tenders in which any of the prescribed conditions are not fulfilled, or are incomplete in any respect are liable to be rejected.
- 11. Tender containing any condition leading to unknown/indefinite liability, are liable to be summarily rejected.
- 12. Canvassing in any form in connection with tenders is strictly prohibited and the tenders submitted by the Tenderers, who resort to canvassing will be liable for rejection.
- 13. After opening of the Technical/Financial Bids, the Tenders shall remain open for acceptance for a period of 07 days. If the Tenderer withdraws his tender before the expiry of the said period or makes any modifications in terms and conditions of the tender which are not acceptable to NBT or the contract is not executed within three (3) days from the date of letter of acceptance or the work is not commenced on the stipulated date and time as per the work order, NBT without prejudice to any other right or remedy will be at liberty to forfeit the earnest money.
- 14. The items given in the specification of work are approximate. Requirement of quantity / items mentioned in the schedule may increase or decrease as per the decision of the Competent Authority of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.

- 15. Any modification/corrigendum issued with regard to this tender document shall be uploaded only on NBT website: <a href="www.nbtindia.gov.in">www.nbtindia.gov.in</a>. Bidders are, therefore, advised to visit the website regularly till the last stipulated date of issuance of the tender document for ascertaining any modification/corrigendum issued in this regard.
- 16. The NBT shall have the right to issue Addendum regarding Tender documents to clarify, amend, modify and supplement or delete any of the conditions, clause or items stated therein. Each Addendum shall form a part of the original invitation for Tender.
- 17. The approved Contractor should visit the fair ground and submit the layout/design of the fair site to DD(Exh.) / AD (Exh.) prior to the start of the Book Fair for final vetting. In case of any changes in the layout/design the same shall be informed to the Contractor.

#### NOTE:

As per the guidelines of the Ministry of Finance, Government of India, the payment will be made through e-Payment mode and the successful bidder will have to submit his/her RTGS details along with a cancelled cheque.

Yours faithfully,

DEPUTY DIRECTOR (EXHIBITION)
NATIONAL BOOK TRUST, INDIA
NEHRU BHAWAN, 5 INSTITUTIONAL AREA
PHASE-II, VASANT KUNJ
NEW DELHI-110070
PHONE NO:- 011-26707780-81-88

Mobile: (+91-9871716733) E-mail: <a href="mailto:nbtexhibition@gmail.com">nbtexhibition@gmail.com</a>

#### **GENERAL TERMS AND CONDITIONS**

Subject: Submission of Tender for fabrication of stalls using octonorm system, erecting of structure

(Hangar), installation of electrical fittings, PA system, etc. on hire basis

#### 1. Parties

The parties to the contract are the contractor (the Tenderer to whom the work have been awarded) and the NBT through its Director.

#### 2. Address

For all purposes of the contract including arbitration there under, the address of the contractor mentioned in the tender shall be final unless the contractor notifies a change of address by a separate letter sent by registered post with acknowledgement due to NBT. The contractor shall be solely responsible for the consequences of any omission or error to notify change of address in the aforesaid manner.

#### 3. Contractor

The term contractor shall mean Company, firm or the party to whom the Contract is awarded and his/their heirs, legal representatives, assigns and successors.

#### 4. Specification of work

The Specification of work shall mean the specification of work as specified and forming part of this contract.

#### 5. Priced Schedule of Quantities

Priced Schedule of Quantities shall mean the schedule of quantities duly priced with the accepted quoted rates of the contractor.

#### 6. TENDERS

The entire set of tender paper issued to the Tenderer should be submitted fully priced and also signed on all the pages and affixing of firm's stamp. Signature will indicate the acceptance of the tender papers & terms by the Tenderer. The schedule of quantities shall be filled in as follows:

- i) The "Rate" column to be legibly filled using Ball pen or typed both in English figures and English words
- ii) Amount column to be filled in for each item (rate per unit as well as total amount for required quantity).
- Total amount for full duration column to be filled in for each item will be treated as final rates for the full duration of the Fair and if the column is kept blank, it will be considered as ZERO, which means the Tenderer is ready to provide such items free of cost.
- iv) All corrections are to be initialed.
- In case of any errors / omissions in the quoted rates, the rates given in the tender marked "original" shall be taken as correct rates. No modifications, writings or corrections can be made in the tender papers by the Tenderer, but may at his option offer his comments or modifications in a separate sheet of paper attached to the original tender papers.
- 6.1 NBT reserves the right to reject the lowest or any tender and also to discharge any or all the tenders of each section or to split up and distribute any item of work to any specialist firm or firms, without assigning reasons.
- 6.2 The Tenderer shall note that his tender shall remain valid for six months from the date of its finalization.

## 7. Preparation and Submission of Tender

The tender should be submitted in two parts, namely: (i) Technical bid and (ii) Financial bid. The duly filled up chapter-6 along with Demand Draft of Earnest Money amount shall be placed in the sealed cover containing Technical Bid. The financial bid shall be given in Chapter-7. All the papers mentioned in the Technical Bid shall be submitted in the same serial number as it is given in the Chapter-5. Each bid should be kept in separate sealed covers, addressed to the undersigned. The outer envelope containing both sealed covers should bear the address, Tender No. and date, subject of tender, date and time of opening of the same. The inner envelope should be superscribed with Tender No, subject of

tender whether the envelope is containing the 'Technical Bid' or the 'Financial Bid' and date of opening of the tender.

# (A). Signing of Tender

Individual signing the tender or other documents connected with contract must specify whether he signs as:

- (a) A sole proprietor of the concern or constituted attorney of such sole proprietor;
- (b) A partner of the firm, if it be a partnership firm, in which case he must have authority to execute contracts on behalf of the firm and to refer to arbitration disputes concerning the business of the partnership either by virtue of the partnership agreement or by a power of attorney duly executed by the partners of the firm.
- (c) Director or a principal officer duly authorized by the Board of Directors of the Company.

#### N.B.

- (i) In case of partnership firms, a copy of the partnership agreement, or general power of attorney duly attested by a Notary Public, should be furnished on stamp paper duly sworn or affirmed by all the partners admitting execution of the partnership agreement or the general power of attorney. The attested copy of the certificate of registration of firm should also be enclosed along with the tender.
- (ii) In the case of partnership firms, where no authority to refer disputes concerning the business of partnership firm has been conferred on any partner, the tender and all other related documents must be signed by all partners of the firm.
- (iii) A person signing the tender form or any documents forming part of the tender on behalf of another person should have an authority to bind such other person and if, on enquiry it appears that the person so signing had no authority to do so, Director, NBT without prejudice will cancel the contract and hold the signatory liable for all costs, consequences and damages under the civil and criminal remedies available.
- (iv) The Tenderer should sign and affix his/her firm's stamp at each page of the tender and all its Annexures as the acceptance of the offer made by the Tenderer will be deemed as a contract and no separate formal contract will be drawn. NO PAGE SHOULD BE REMOVED / DETACHED FROM THIS TENDER DOCUMENT.
- (v) Any correction, mutilation or overwriting in figures of rates should be supported by signature; otherwise the quotation will not be considered.
- (B) Technical Bid: The Tenderer should submit the technical details in contract form in chapter 5.
- (C) Financial Bid: It should be submitted in form given in Chapter-8 i.e Price schedule.

Tenders placed in sealed covers (in two envelopes duly marked as TECHINICAL BID (Envelope-I) and Financial BID (Envelope-II) with the name of the project written on envelope should be placed in the outer sealed envelope and marked on top as "Tender for fabrication of stalls at "Book Fair".

#### Note:

- The inner envelopes shall also indicate the name and address of the Tenderer.
- If the outer envelope is not sealed or marked as prescribed above, the tender will be rejected summarily

#### 8. Rates quoted

The rates quoted in the tender shall be for each item for the entire duration of Fair until it is specifically mentioned. The rates quoted in the Price Schedule shall be inclusive of all taxes, levies, etc. except GST. The GST shall be paid at rates applicable from time to time as per GST ACT. No extra amount shall be payable in addition to the accepted rate as per the Price Schedule.

#### 9. Opening of tender

The Tenderer is at liberty either himself or authorize not more than one representative to be present at the opening of the tender. The representative attending the opening of the tender on behalf of the Tenderer should bring with him a letter of authority from the Tenderer and proof of identification.

#### 10. Criterion for Evaluation of Tenders

NBT will examine the Tenders to determine whether they are complete, whether any computational errors have been made, whether the documents have been properly signed, and whether the Tenders are generally in order. A Tender determined as not substantially responsive will be rejected by NBT and may not subsequently be made responsive by the Tenderer by correction of non-conformity.

The evaluation of all responsive tenders will be made first on the basis of technical and commercial information furnished in form given in Chapter-5. The Financial bid [Chapter-8] of such firms found valid based on technical parameters (as per Chapter-5) only will be opened on the same date i.e. \_\_\_\_\_\_ at \_\_\_\_\_\_. It must be kept in view that no decision will be given by the Tender Evaluation Committee. Any inferences drawn during the meeting of this committee by the tenderers or their representatives will be their own view and the Trust will not be responsible and will not abide by the same. The reasons for selection or rejection of a particular tender will not be disclosed. The award of work will be further subject to any specific terms and conditions of the contract given in Chapter-3.

## 11. Earnest money

Earnest Money of ₹50,000/- should be submitted in the form of a Demand Draft favouring National Book Trust, India, payable at Delhi along with Technical bid of the tender.

- 11.2 Tenderer shall not be permitted to withdraw his offer or modify the terms and conditions thereof. In case the Tenderer fails to observe and comply with the stipulations made herein or backs out after quoting the rates, the aforesaid amount of earnest money will be forfeited by NBT.
- 11.3 The tenders without Earnest Money Deposit will be summarily rejected.
- 11.4 No claim shall lie against NBT in respect of erosion in value or interest on the amount of Earnest Money Deposit or Security Deposit.

#### 12. Award of tender

Financial bids of only those tenderers shall be opened, who qualify the conditions/criteria of techno commercial bid specified in Chapter 5 of tender document.

#### 13. Right of acceptance

NBT reserves the right to accept or reject any or all tenders/quotations without assigning any reason and also does not bind itself to accept the lowest quotation or any tender. Any failure on the part of the contractor to observe the prescribed procedure and any attempt to canvass for the work will prejudice the contractor's quotation.

#### 14. Communication of acceptance/right of acceptance

NBT reserves all rights to reject any tender including those tenders who fail to comply with the instructions without assigning any reason whatsoever and does not bind itself to accept the lowest or any specific tender. The decision of NBT in this regard will be final and binding. Successful Tenderer will be informed of the acceptance of his tender. Necessary instructions regarding the amount and time provided for Security Deposit will also be communicated.

#### 15. Performance Security

The successful bidder will have to submit the performance guarantee to the value of 10% of the basic value of contract in the form of DD or alternatively in the form of bank guarantee to NBT within 3 days from the date of receipt of initial work order after adjusting the amount of EMD already paid. The work order will not be issued unless the Performance Security money is submitted by the party who is awarded the job. If the Tenderer does not remit the performance guarantee within the stipulated time given in the work order, interest @ 18% p.a. on performance guarantee amount will be levied for the delayed remittance from due date of remittance to date of realization/remittance of money. The earnest money shall be adjusted against the performance guarantee to be submitted by the successful bidder. The performance guarantee will be forfeited by order of NBT in the event of breach or negligence or non-observance of any condition of contract or in case the construction is delayed beyond the period stipulated by NBT. The Security Money so deposited will be retained till conclusion of the Fair and refunded along with balance payment without any interest.

#### 16. Force Majeure

Neither party shall be in default if a failure to perform any obligation hereunder is caused solely by supervening conditions beyond that party's reasonable control, including acts of God, civil commotion, strikes, acts of terrorism, labour disputes and government or public authority's demands or requirements.

#### 17. Insolvency etc.

In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other order under the Insolvency Act made against them or in the case of a company the passing of any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified, NBT shall have the power to terminate the contract without any prior notice.

#### 18. Breach of terms and conditions

In case of breach of any of terms and conditions mentioned above, the Competent authority will have the right to cancel the work order/job without assigning any reason thereof and no amount will be payable by NBT in that event and the security deposit shall also stand forfeited.

## 19. Subletting of work

The firm shall not assign or sublet the work/job to any other person or party.

#### 20. Arbitration

If any difference arises concerning this contract, its interpretation or the payment to be made hereunder, the same shall be settled by mutual consultations and negotiations. If attempts for conciliation do not yield any results within a period of 3 months, either of the parties may make a request to the other party for submission of the dispute for decision. The NBT shall reserve right to nominate sole Arbitrator. Such request shall be accompanied with a panel of names of three persons to act as the sole arbitrator. In case of such arbitrator refusing unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The arbitration proceedings shall take place at New Delhi and shall be conducted in English. The provisions of Arbitration and Conciliation Act, 1990 and the rules framed there under and in force shall be applicable to such proceedings.

## 21. Legal jurisdiction

The contract shall be deemed to have been concluded in the National Capital Territory of Delhi and all obligations hereunder shall be deemed to be located at the NCT of Delhi and the Court within NCT of Delhi will have jurisdiction to the exclusion of all other Courts.

#### 22. Validity of tender

The tender is valid for six months from the date of its finalization.

#### CONDITIONS SPECIFIC TO THE CONTRACT

- 1. The Tender should be submitted on the prescribed Tender Form Chapter -7.
- The Tenderer shall bear all costs associated with the preparation of his Tender including cost of
  preparation for the purposes of clarification on the Tender, if so desired by NBT. NBT in no case
  will be responsible or liable for these costs, regardless of the conduct or outcome of the
  Tendering process.
- 3. Incomplete Tenders are liable to be rejected. It means Tenderer should quote for all items. If any item is missed or not quoted the whole Tender will be rejected.
- 4. The quantities mentioned in the schedule may be increased or reduced at the discretion of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.
- 5. When deemed necessary, NBT may seek clarification on any aspect from the Tenderers. However, that would not entitle the Tenderer to change or cause any change in the rates or any part of the Tender. NBT may, if so desired, ask the Tenderer to give presentation for the purposes of clarification of the Tender. All expenses for this purpose as also for preparation of documents and other meetings will be borne by the Tenderer.
- 6. The Tenderers, in their own interest, are advised to inspect the site and see its physical condition before submitting Tenders at their own cost.
- 7. NBT will open the Tenders in the presence of the Tenderers or their authorized representatives, who may choose to be present at the following location:

National Book Trust, India Nehru Bhawan 5, Institutional Area, Phase – II, Vasant Kunj New Delhi – 110 070

- 8. The successful Bidder would be handed over the site for construction **2-5 days** before the date of the Book Fair and he should start the work immediately.
- 9. The successful contractor must complete the work satisfactorily till **5.00 p.m.**, a day before start of the Book Fair. The normal timings of the book Fair will be from 11:00 a.m to 8:00 p.m /9:00 p.m. However, the timings of the Book Fair may be further increased at the discretion of NBT for which no extra claim by the contractor shall be entertained by NBT.
- 10. The contractor shall engage technically qualified personnel for executing the work.
- 11. Security money and performance guarantee amount shall be liable to be forfeited in case the contractor fails to complete the job within the stipulated time or if the job is not done satisfactorily as per the specifications. If the successful Bidder backs out after award of the contract, Earnest Money Deposit shall be forfeited and also the contractor will be blacklisted for work in future.
- 12. Liquidated Damages: In case of failure to complete the job in time NBT shall impose a penalty of ₹10,000 per hour apart from legal action, which NBT may deem fit. The contractor will also be blacklisted for future work. In such situation, NBT shall have the right to make alternative arrangement for completion of the work through some other contractor of its choice. In that event, the entire cost so incurred by NBT will have to be borne by the original contractor and will be deducted from his bill and Security Deposit.
  - 12.1 Both the parties agree that time is essence of the contract.
- 13. The dismantling of structures should begin only after written permission from the Officer-In-Charge. But if it is done without prior permission and loss of any material or property, on the basis of complaint, if any, is brought to the notice of the Officer-In-Charge, the contractor will be liable to pay the entire amount of the loss thus incurred.
- 14. During the period of construction, the contractor shall have to make his own arrangement for facilities at Book Fair Ground such as water, electricity, security etc.

- 15. The contractor should insure his inventory at his own cost. In the event of any accident during the execution of work or during the period of the Fair, the contractor shall not be entitled to any compensation or claim from NBT for any loss to his personnel, articles, dead stock, furniture, fixtures, etc. on account of natural calamities/riots, etc.
- 16. The contractor will be responsible for the up-keep and maintenance of the entire structure constructed by him till the end of the Fair, for which no extra payment shall be made. Breakage and damages, if any, shall immediately be replaced / repaired without any extra cost.
- 17. 50% payment of the total quoted amount in the Financial Bid will be made to the contractor during the Fair, subject to a physical verification report of items/equipment/materials done by an approved Physical Verification Committee of NBT. The remaining actual payment shall be made at Headquarters along with security deposit without any interest on completion of Book Fair.
- 18. Income tax shall be deducted at source under the Act. <u>Permanent Account Number (PAN)</u> <u>allotted by the Income Tax Authorities must be quoted in Annexure-2</u>, without which the Tender is liable to be rejected.
- 19. NBT reserves the right to accept or reject any Tender, and to annul the Tender process and to reject all bids at any time prior to the award of the contract, without thereby incurring any liability to the affected Tenderer or Tenderers on the grounds for NBT's action.
- 20. NBT reserves the right to visit the Godown of the Tenderer at any time before award of the job to assess the worthiness of the Bidder.
- 21. The Contractor will not be allowed to sublet the work to any other contractor for providing any component during the Fair. Likewise, no co-sharing of the job will be permitted.
- 22. i) The Contractor, who is allotted the job, will be responsible for making sure that the wiring for electrical connections is shock free, insulated and laid in a non-hazardous manner, preferably in PVC / Insulated Pipe, to avoid any kind of mishap / accident. Any untoward incident happening due to faulty wiring / negligence will be sole responsibility of the Contractor.
  - ii) The Contractor will ensure that hangar structure is sturdy and strong enough to withstand winds, rain etc. Any untoward incident happening due to faulty hangar structure will be sole responsibility of the Contractor.

NBT will not be responsible for any claim or legal / financial issues arising out of any of the above two factors.

- 23. The decision of NBT with regard to all terms & conditions shall be final and binding.
- 24. If, at any time during performance of the contract, the contractor should encounter conditions impeding timely execution of the work, he shall promptly notify NBT in writing of the fact of delay, its likely duration and its cause(s). As soon as practicable, after receipt of the contractor's notice, NBT shall evaluate the situation and may at its discretion extend the contractor's time for performance.
- 25. On conclusion of the Fair, the contractor must remove the entire structure within one or two days as per the instructions of NBT.
- 26. In the event of items not being given as per the specifications, **penalty** will be imposed as under:

## A. CIVIL CONSTRUCTION

SI. No.	Particular(s)	Quantum of penalty
a)	Stalls	
b)	Auditorium	
c)	Office Block	
d)	Reception	
e)	Gate	25% of the quoted rates of the component
g)	Chemical Toilet	
f)	Hangar Structure	
g)	Carpet	
h)	For other items	

# **B. ELECTRICAL FITTINGS & P.A. SYSTEM**

a)	For not providing specified lamps & bulbs	
b)	Generator Set as per specification of capacity, etc.	200/ of the gueted rate of the
c)	PA System & Microphone as per specification	20% of the quoted rate of the
d)	Improper wiring	component
e)	Other work	

# 27. Validity of the bid

The bid submitted by the Tenderers shall be valid for six months from the date of its finalization.

#### TERMS AND CONDITIONS (temporary air conditioning in hangars) Electrical

- 1. The Contractor has to design and decide the number of Air Conditioning units required for proposed area and intimate to the officer-in-charge. However, a package/split unit shall be provided @ 1.0 TR for 6 to 8 sq. mtr. depending upon the site conditions. Placement & lifting arrangements shall be made by the contractor at his cost. Nothing extra will be paid on this account.
- 2. Location of the outdoor and indoor units will be decided in consultation with officer in-charge.
- 3. In case any unit does not function during the currency of the fair, the contractor has to replace/ rectify the defects and make the unit operational within one hour otherwise proportional recovery for each unit for full day for the outage shall be made by NBT.
- 4. The Contractor should have at site adequate number of manpower such as operator, AC Mechanic, Electrician Fitter etc. and Spares like compressors, motors, copper piping, refrigerant and other items required for the upkeep and operation of the units.
- 5. The contractor has to maintain 22 ±1.0 Centigrade temperature inside the air conditioned area. The contractor must monitor the temperature on hourly basis at various locations and keep record of the same. If the temperature is not within the prescribed limits, action to supplement air conditioners will be taken up by the contractor. Nothing extra on this account shall be paid by NBT.
- 6. The contactor has to make arrangement for the watch and ward of the equipment installed/ spares.
- 7. The installation, testing and commissioning of all AC units must be completed one day before the event as time is the essence of the contract.
- 8. The contractor has to get acquainted with the height of Hanger at various locations of the fair, and accordingly the units must be planned and installed.
- 9. The contractor shall be responsible for the safety of the equipment and personnel, and NBT shall not be responsibility for this.
- 10. Any damage during installation / operation / removal caused to the Govt. / Pvt. Property shall be responsibility of the contractor. Necessary recovery shall be made on this account from the contractor.
- 11. No power supply will be permitted from inside the Halls for obtaining the air conditioning connections. Contractor has to arrange suitable size of cable/ switch to obtain power supply from available nearby source of supply.
- 12. The Contractor shall keep the units in uniformity.
- 13. The Contractor shall keep stand by additional units to replace any defective one.
- 14. The units need to be neatly painted and the switch boxes should be properly covered.
- 15. Necessary earthing must be done to all equipment and all safety precautions must to be taken during installation and operation.
- 16. The electrical consumption charges shall be borne by NBT. However the Contractor must use energy efficient equipment.
- 17. The rates quoted will be for full fair/event period.
- 18. The required room temperature will be mentioned during the whole Exhibition / Event period for which recovery will be made at the quoted rates and 10% as penalty on per sq.mtr. per hour basis of the affected area.
- 19. The duct should be fire retardant suitable to site including complete. hanging arrangements as required.
- 20. Cables connected to units/panels should be properly dressed/ thimbled, and properly covered at crossing lanes to avoid any accident.
- 21. Only Air-cooled/ Split AC/ package unit shall be used for providing air conditioning in the Hangar. Therefore, before quoting the rates, the bidder may consider the same.

#### Parameters for executing the work (Qualification Criteria)

- 1. Tender Fee of Rs.1,180/- for each Book Fair inclusive of GST 18%.
- 2. Earnest Money Deposit (EMD) of Rs.50,000/- for each Book Fair.
- 3. The tender document should be properly indexed with page numbers.
- 4. The firm has to declare the Company profile such as partnership/proprietorship/company, etc.
- 5. The firm should have the experience of working with Central or State Government / Public Sector Undertakings or Autonomous bodies for 3 years in the similar field. (Please Note: It is mandatory to enclose the copies of the Completion certificates of last 03 consecutive years (2016-17, 2017-18 & 2018-19) showing the work of minimum amount of Rs.15.00 lakh done/executed in each year in support of claim).
- 6. The Bidder should have engaged an electrical supervisor, who possesses a valid electrical supervisor license issued by the Chief Electrical Inspector of a State or any other competent authority to undertake the electrical work properly. A copy of the license of the supervisor should be attached with the Tender Document. An undertaking should be provided on the Company's letter head stating that the Company has engaged the services of the electrical supervisor.
- 7. The approved Contractor should visit the fair ground and submit the layout/design of the fair site to DD(Exh.) / AD (Exh.) prior to the start of the Book Fair for final vetting. In case of any changes in the layout/designs, the same will be informed to the Contractor.
- 8. Certified copies of last three years' audited Accounts showing minimum annual turnover of Rs.25.00 lakh each year.
- Certified copies each of Income Tax Returns for last three years (2016-17, 2017-18 and 2018-19).
- 10. Self-attested copy of Registration of GST along with Return for last one year.
- 11. Self-attested copy of PAN card.
- 12. An Affidavit of Rs.10/- duly signed and stamped by Notary stating that the firm has not been debarred or blacklisted by any Government, Quasi Government, PSU or Autonomous Organization is required to be enclosed (Photocopy of the affidavit will not be accepted). The issue date of Affidavit should not be older than one month from the last date of submission of the Tender document, If found, the technical bid will be rejected.
- 13. Specimen Signature, Name, Address, Contact No., designation/capacity of the person signing the tender document on letterhead is required to be enclosed.

SI. No.	Particular(s)	Yes	No	Page Nos.
TECI	HNICAL BID			
1.	Tender Fee of Rs.1,180/- (inclusive of GST) for each Book Fair.			
2.	Earnest Money Deposit (EMD) of Rs.50,000/- for each Book Fair.			
3.	The tender document should be properly indexed with page numbers.			
4.	The firm has to declare the Company profile such as partnership/proprietorship/company, etc.			
5.	The firm should have the experience of working with Central or State Government / Public Sector Undertakings and Autonomous bodies for 3 years in the similar field. (Please Note that: It is mandatory to enclose the copies of the Completion certificates of last 03 consecutive years showing the work of minimum amount of Rs.15.00 lakh done/executed in each year in support of claim).			
6.	The Bidder should have engaged an electrical supervisor, who possesses a valid electrical supervisor license issued by the Chief Electrical Inspector of a State or any other competent authority to undertake the electrical work properly. A copy of the license of the supervisor should be attached with the Tender Document. An undertaking should be provided on the firm's letterhead stating that the firm has engaged the services of the electrical supervisor.			
7.	The approved Contractor should visit the fair ground and submit the layout/design of the fair site to DD(Exh.) / AD (Exh.) prior to the start of the Book Fair for final vetting. In case of any changes in the layout/design the same will be informed to the Contractor.			
8.	Certified copies of last three years' audited Accounts showing minimum annual turnover of Rs.25.00 lakh each year.			
9.	Certified copies of Income Tax Returns for last three years (2016-17, 2017-18 and 2018-19).			
10.	Self-attested copy of Registration of GST along with Return for last one year			
11.	Self-attested copy of PAN card.			
12.	An Affidavit of ₹ 10/- duly signed and stamped by Notary stating that the firm has not been debarred or blacklisted by any Government, Quasi Government, PSU or Autonomous Organization is required to be enclosed (Photocopy of the affidavit will not be accepted). The issue date of Affidavit should not be older than one month from the last date of submission of the Tender document, If found, the technical bid will be rejected.			
13.	Specimen Signature, Name, Address, Contact No., designation/ capacity of the person signing the tender document on letterhead is required to be enclosed.			
FINA	NCIAL BID			
1	Rates are quoted in Chapter-8(A & B) of the Tender Form-II (Financial Bid)  – Specification of Work/Bill of Quantity			

NOTE:- The Tenderers, who do not fulfil the above requirements and do not submit the above documents will not be considered and will be liable for rejection of their bids.

# Specification of Work/ Bill of Quantity for Nagpur and Bengaluru Book Fairs to be organized during 2019-20

SI. No.	Particulars	Appx./ Estimated Quantity
<b>A.</b>	Structure	
1.(a)	Structure The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls (3x3 Mtr.) and 10 Stalls (2x2 Mtr.) with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate. Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand (*)new laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/ display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required.(Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar structure, the wooden platform with brand new synthetic laminated carpet (as per the specification mention below) is also required in the Auditorium.  * providing & laying on hire basis a brand new laminated carpet, non-wooven needle punch carpet of genuine fibre minimum overall weight 1000 gm/ sgm (+(-) 5%) having minimum 3.90 mm thickness preferable conta	25 x 60 sq. mtr. (1500 sq. mtr.)
	carpet should not loss the thickness more than 25% after 1000 impact and of required shades & laying with approved adhesive or double side tape wherever required etc. as per the direction of officer-incharge, I/C covering	
	with polythene sheet till the inauguration of a fair. Using a brand new laminated carpet.	
2.	Air-conditioning of Hangar for 9 days (in tons)	250 tons
3.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for	50 - 70

available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  4. Stall: Size 2m X 2m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  4. Stall: Size 2m X 2m Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  4.   Stall: Size 2m X 2m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
4. Stall: Size 2m X 2m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
Stalls Size 2m X 2m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
<ul> <li>2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying &amp; fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)</li> <li>Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate</li> </ul>	2
<ul> <li>2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying &amp; fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)</li> <li>Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate</li> </ul>	
octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of <b>new brand laminated carpet(*)</b> in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
also required in each stall.  Laying & fixing of <b>new brand laminated carpet(*)</b> in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required)  With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
required, should be provided by the contractor)  5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
5. Chemical Toilet block 4' x4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	2
water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	_
water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate	
with bulb for sufficient light in toilet area as well as way to toilets (each separate	
· · · · · · · · · · · · · · · · · · ·	
for Ladies and Gents)	
6. <u>Gate</u> Size: (width 24'xheight 24') and as per design given by the office	2
Material: Metallic frame on all four sides lettering on flex. Provision of 12 LED	-
Halogen lights of 150 watts (4 LED each in 3 block/column) should be done in	
each entry gate to have proper visions for the visitors during night. Four 150 watt	
LED halogen light may also be provided for each gate to have sufficient	
illumination in the night.	
7. Individual rate need to be quoted for each item from S.No.7(a) to 7(g)	
a) Backdrop in the size of <b>30'x8'</b> with flex on wooden frame with lettering on	3
	3
flex of approved shade	4
b) Dais: Size 30'x20'x1½' in height made of wooden platform with new brand	1
laminated synthetic carpet(*) with needle punch of blue/red colour; table	
15'x3' with table cloth and frill in front, one lightening lamp, 10 wooden	
cushioned arm chairs, 25 ceiling fan/pedestal fans and 10 standing Air	
Conditioner (2.5 ton each)should be made available two days before	
starting of the Book Fair for press conference. The date and timing will be	
informed separately by officer In-charge). Decoration of stage and dais	
with fresh flowers / flowers arrangements in consultation with officers in-	
charge along with arrangement of 24 Mineral Water Bottles (200 ML) for	
Dais and Name plates at the Dias (10) along with the provision of Green	
Room of 36 Sq. Mtr. as per the direction of the officer in-charge.	
c) Podium with frill along with NBT Logo (size as per requirement)	1
d) Complete PA System and audio recording of inaugural function and	· · ·
other programmes along with provision of playing instrumental music	
during the Book Fair	
i. Hanging Speakers (6) and Big speakers (4)	1
	ı
ii. Microphone HIFI (8 fixed with stand and 6 cordless microphone) (14)	40
e) Sofa Sets (3 seater) with white covers along with 4 central tables	16
f) Chairs with white cover for seat and back	150
g) Queue Manager	12
Drand new leminated compat/*\ for floor and / / / /	1000 sq. mtr
8. Brand new laminated carpet(*) for floor area (same specification as given for	
8. Brand new laminated carpet(*) for floor area (same specification as given for carpet in structure at s.no. 1)  9. Ground Net (Green)	1500 sq. mtr.

10.	Pots	with seasonal flowers/plants	60
11.	Fire F	Fighting Equipment (CO <sup>2</sup> Water and powder mix with refilling dates)	40
12.		brand Dustbins (Big Size) Plastic with cover (Picture attached)	10
13.	List o	f participants on 12' x 6' (one each in English/ Regional language) dule of programs on 12' x 6' (one each in English/ Regional language)	4
14.		ator 6' x 3' (English/Regional language)	10
15.	Swee	epers for cleaning of ground are required one day before start of the Book and till the end of the Book Fair (10:00 a.m. to 8:00 p.m.)	3
16.	Secu	rity personnel round the clock are required one day before start of the Book and till the end of the Book Fair: (*) Rates may be given on per day basis	
	only:	``	
	a)	Supervisor	1
	b)	Guards	3
17.		Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	<u></u>
18.		den platform	500 sq. mtr.
19.		aration of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' / 12'x12')	2000 sq. ft.
20.	Indus	strial Cooler (as per the pic enclosed) with the provision of water facility on	10
20.		basis.	10
21.		dditional items, if required – (Rates may be given for full duration)	
' -	a)	Wooden/steel tables 5'x2'	5
	b)	Octonorm Table for display of Books	50
	c)	Three orange Octonorm Panel Wall	30
	d)	Ceiling/Pedestal Fan	50
			<u>50</u>
	e)	Wall Screen (Size 52") with provision of relaying live programmes	•
	f)	Wooden garden bench	5
	g)	Reclining chair	5
	h)	Hydraulic Stool	5
	I)	Hammocks	5
	j)	Executive chair (wooden)	50
	k)	Pagoda (2.5mtr.x25.Mtr.)	5
	I)	Pagoda (5mtr.x5mtr.)	5
	m)	Executive 2 seater sofa-set	15
	n)	Executive 3 seater sofa-set	15
	0)	Central table	5
	p)	Tin Wall	1000 sq. mtr.
	q)	Cloth Wall	1000 sq. mtr.
	r)	Preparation and fixing of Flex/Banners on good quality (2.5'x5' Size – as per layout provided by NBT. The location for fixing of flex/banners will be informed by Officer In-charge.	50
	s)	Polythene	500 Sq. mtr.
	t)	Speaker	5
	u)	Microphone HIFI	5
	v)	Water jug (Mayur jug)	1
	w)	Air Conditioner (per ton)	50
1	x)	LED Wall Screen of Size 8'x6' with Ramp (With operator) P5	1
	(*) 1 items while	The Contractor has to quote the rates against each of the s/furniture/equipment. These rates shall not be taken into account a finalizing the tender. However, on demand of NBT, the contractor has ovide any of one or all the items/furniture/equipment as per the work-	·
<b>D L</b>	order suita	r to be issued by NBT prior to start of the Book Fair, failing which ble penalty as deemed fit will be taken.	
		n of Electrical fitting	50
22.	angle	Metal lights of 150 Watt similar to Philips lamps with adjustable beam and complete with lamps and necessary wiring	50
23.		gen LED Lights of 150 Watt with adjustable beam and angle complete with ient lighting and necessary wiring	30
24.		watt Led colored / decorative bulbs	2000

25.	Silent Generator set: The generator should be in operational condition one	
	day before start of the Book Fair and till the conclusion of the Fair.	
A.	FOR HANGAR	
	One 125 KVA Generator set (with fuel and operator) for full duration	1
	One 62 KVA Generator set (with fuel and operator) for full duration	1
26.	Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	1
27.	Street light iron poles (20'x2-1/2")	25
28.	Preparation & distribution of Handbills through Hawkers (Bilingual) <b>on both sides</b> of the good quality of paper (8x10 Size)-As per layout provided by NBT	10000
29.	Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT	1000
30.	Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge	Per day basis (for 9 days)
31.	Videography (All Programmes should be provided in the DVD after the Book Fair)	Per day basis (for 9 days)

Requirement may increase or decrease as per decision of Competent Authority.

(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

# Specification of Work/ Bill of Quantity for Aizwal (Mizoram) and Meghalaya (Shillong) Book Fair

SI. No.	Particulars	Appx./ Estimated Quantity
1.(a)	Structure  The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls (3x3 Mtr.) with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate. Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand ("hnew laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/ display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding Inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required. (Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar structure, the wooden platform with brand new synthetic laminated carpet (as per the specification mention below) is also required in the Auditorium.  * providing & laying on hire basis a brand new laminated carpet, non-wooven needle punch carpet of genuine fibre minimum overall weight 1000 gm/ sgm (+(-) 5%) having minimum 3.90 mm thickness preferable containing 375 gm polyester	25 x 60 sq. mtr. (1500 sq. mtr.)
2.	Air-conditioning of Hangar for 9 days (in tons)	250 tons
3.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chairs with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr.	50 - 70

	lythene to cover the books is also required in each stall.	
ind	ying & fixing of <b>new brand laminated carpet(*)</b> in the entire passage of oor hall including the stalls/stands area, in case where structure is not juired, should be provided by the contractor)	
Wit	emical Toilet block 4' x4' (if required) th necessary tap fittings and fixtures including washbasin with the provision of ter tanker on the top having the capacity of 1000 Ltr of water on daily basis, ors (with key and lock system) with provision of water flow. Electrical fitting h bulb for sufficient light in toilet area as well as way to toilets (each separate Ladies and Gents)	2
5. <u>Ga</u> Ma Ha eac LE illu	te Size: (width 24 xheight 24') and as per design given by the office terial: Metallic frame on all four sides lettering on flex. Provision of 12 LED logen lights of 150 watts (4 LED each in 3 block/column) should be done in ch entry gate to have proper visions for the visitors during night. Four 150 watt D halogen light may also be provided for each gate to have sufficient mination in the night.	2
6. Ind	lividual rate need to be quoted for each item from S.No.7(a) to 7(g)	
a)	Backdrop in the size of <b>30'x8'</b> with flex on wooden frame with lettering on flex of approved shade	3
b)	Dais: Size 30'x20'x1½' in height made of wooden platform with new brand laminated synthetic carpet(*) with needle punch of blue/red colour; table 15'x3' with table cloth and frill in front, one lightening lamp, 10 wooden cushioned arm chairs, 25 ceiling fan/pedestal fans and 10 standing Air Conditioner (2.5 ton each)should be made available two days before starting of the Book Fair for press conference. The date and timing will be informed separately by officer In-charge). Decoration of stage and dias with fresh flowers / flowers arrangements in consultation with officers incharge along with arrangement of 24 Mineral Water Bottles (200 ML) for Dais and Name plates at the Dias (10) alongwith the provision of Green Room of 36 Sq. Mtr. as per the direction of the officer incharge.	1
(c)	Podium with frill along with NBT Logo (size as per requirement)  Complete PA System and audio recording of inaugural function and	1
	other programmes along with provision of playing instrumental music during the Book Fair i. Hanging Speakers (6) and Big speakers (4) ii. Microphone HIFI (8 fixed with stand and 6 cordless microphone) (14)	1
e)	Sofa Sets (3 seater) with white covers along with 4 central tables	16
f)	Chairs with white cover for seat and back	150 12
	Queue Manager and new laminated carpet(*) for floor area (same specification as given for pet in structure at s.no. 1)	1000 sq. mtr
8. Gro	ound Net (Green)	1500 sq. mtr.
	ts with seasonal flowers/plants	60
	e Fighting Equipment (CO <sup>2</sup> Water and powder mix with refilling dates)	40
	w brand Dustbins (Big Size) Plastic with cover <b>(Picture attached)</b> t of participants on 12' x 6' (one each in English/ Regional language)	10 4
	hedule of programs on 12' x 6' (one each in English/ Regional language)	4
	licator 6' x 3' (English/Regional language)	10
14. Sw Fai	reepers for cleaning of ground are required one day before start of the Book ir and till the end of the Book Fair (10:00 a.m. to 8:00 p.m.)	3
	curity personnel round the clock are required one day before start of the Book ir and till the end of the Book Fair: (*) Rates may be given on per day basis ly:	
a)	Supervisor	1
b)	Guards	3

16.	New Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	1
17.	Wooden platform	500 sq. mtr.
18.	Preparation of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' / 12'x12')	2000 sq. ft.
19.	Industrial Cooler (as per the pic enclosed) with the provision of water facility on daily basis.	10
20.	(*) Additional items, if required – (Rates may be given for full duration)	
	a) Wooden/steel tables 5'x2'	5
	b) Octonorm Table for display of Books	50
	c) Three orange Octonorm Panel Wall	30
	d) Ceiling/Pedestal Fan	50
	e) Wall Screen (Size 52") with provision of relaying live programmes	1
	f) Wooden garden bench	5
	g) Reclining chair	5
	h) Hydraulic Stool	5
	I) Hammocks	5
	j) Executive chair (wooden)	50
	k) Pagoda (2.5mtr.x25.Mtr.)	5
	I) Pagoda (5mtr.x5mtr.)	5
	m) Executive 2 seater sofa-set	15
	n) Executive 3 seater sofa-set	15
	o) Central table	5
	p) Tin Wall	1000 sq. mtr.
	q) Cloth Wall	1000 sq. mtr.
	r) Preparation and fixing of Flex/Banners on good quality (2.5'x5' Size – as per layout provided by NBT. The location for fixing of flex/banners will be informed by Officer In-charge.	50
	s) Polythene	500 Sq. mtr.
	t) Speaker	5
	u) Microphone HIFI	5
	v) Water jug (Mayur jug)	1
	w) Air Conditioner (per ton)	50
	x) LED Wall Screen of Size 8'x6' with Ramp (With operator) P5	1
	(*) The Contractor has to quote the rates against each of the items/furniture/equipment. These rates shall not be taken into account while finalizing the tender. However, on demand of NBT, the contractor has to provide any of one or all the items/furniture/equipment as per the work-order to be issued by NBT prior to start of the Book Fair, failing which suitable penalty as deemed fit will be taken.	
B. Ins	allation of Electrical fitting	
21.	LED Metal lights of 150 Watt similar to Philips lamps with adjustable beam and angle complete with lamps and necessary wiring	50
22.	Halogen LED Lights of 150 Watt with adjustable beam and angle complete with sufficient lighting and necessary wiring	30
23.	Zero watt Led colored / decorative bulbs	2000
24.	Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.	
A.	FOR HANGAR	
	One 125 KVA Generator set (with fuel and operator) for full duration	1
	One 62 KVA Generator set (with fuel and operator) for full duration	1
	the second secon	•

25.	Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	1
26.	Street light iron poles (20'x2-1/2")	25
27.	Preparation & distribution of Handbills through Hawkers (Bilingual) on both sides of the good quality of paper (8x10 Size)-As per layout provided by NBT	10000
28.	Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT	1000
29.	Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge	Per day basis (for 9 days)
30.	Videography (All Programmes should be provided in the DVD after the Book Fair)	Per day basis (for 9 days)

Requirement may increase or decrease as per decision of Competent Authority.

(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

## Application Form **National Book Trust, India**

Nehru Bhawan 5, Institutional Area, Phase-II, Vasant Kunj New Delhi - 110 070

From	_
	- -
To The Director, National Book Trust, India New Delhi – 110 070	
	Dated:
	nporary construction of stalls using Octonorm system tings, PA system, etc. on hire basis for the Book Fairs he Financial Year 2019-20.
Madam/Sir,	
services to National Book Trust. I/We shatterms and conditions. I/We shall be resp	d notice inviting tenders, I/We hereby offer to provide required all execute the work truly and faithfully as set forth in the attached onsible for all complaints as regards the quality of service and in Director National Book Trust shall be final and binding on me/us.
As desired, the Tender Fee and EMD Dated (1) (2) favour of National Book Trust, India part event of my/our tender being accepted, by me/us for the faithful and satisfactory	vide Demand Draft Nos. (1) (2) respectively in ayable at New Delhi are enclosed. I fully understand that in the NBT shall adjust this earnest money in security deposit payable execution of the contract.
The details of the documents as required	I in Chapter – 5 are submitted as under:
<ol> <li>Registration Number of the Firm</li> <li>GST Number</li> <li>PAN Card Number</li> <li>Electrical License Number</li> </ol>	
	of Earnest Money/Security Deposit prescribed against this tender of the contract, if such contract is not implemented within the

period of validity of my/our tender.

I/We further understand that my/our earnest money shall stand forfeited in case of unsatisfactory services/violation of any term/terms or if I/We withdraw tender at any stage during the period of validity.

My/our tender shall remain valid for six months from the date of its finalization. My/Our tender along with terms and conditions with relevant columns and annexures duly filled in under my/our attestation and with each page of the tender paper including the enclosed terms and conditions signed by me/us (in the capacity of sole owner/general or special attorney attached) is submitted for your consideration.

I/We have read the enclosed terms and conditions absolute and unconditional acceptance thereof.	carefully and ha	ave signed the sam	e in token of our
Thanking you,			
			Yours faithfully,
Place Date		Name Signatures with & Full Address	stamp

# TENDER FORM - I TECHNICAL INFORMATION AND UNDERTAKING

(Delete whichever of the following is not applicable before submitting the Tender Document or prepare a

fresh fo	ormat. Tenderer may use separate sheet wherever required)
Subject	t: Tender Document for Book Fair 2019-20.
1. 2.	Name of the Tenderer/Concern Nature of the concern (i.e. sole proprietor or partnership firm or a company or a Government Department or a Public
	Sector Organization)
3.	Present Address
4.	Permanent Address
5.	Earnest Money Amount :
6.	DD No. & Date, Name of the bank/cash receipt no. of NBT, if deposited in cash
7.	Whether each page of Tender Document and its Annexures have been signed and stamped.
8.	Proposed date to start work 2 to 5 days before start of the Book Fair.
9.	List of Major Customers may be given on a separate sheet and proof of satisfactory execution of work in similar field.
10.	Proof of the last three years' turnover of the firm which should not be less than Rs.25 lakhs each continuously for the preceding three years.
11.	Permanent Account Number
12.	Whether copies of audited Accounts for the past three years enclosed
13.	Copy of the GST return for last one year
14.	Experience certificate of contractor covering execution for various State Govts./Central
45	Government in similar field.
15.	The Work Order from the concerned Unit/Deptt. should be submitted, in support of the experience.
16.	Declaration in Affidavit on Non Judicial Stamp Paper of ₹ 10/- duly countersigned by Notary that they have not been banned or debarred by any Govt./Quasi Government Department or PSUs & all documents/information submitted by them are true and correct.
17.	Any other information important in the opinion of the tenderer.
Date Place	(Signature of Tenderer with stamp of the firm)
	<u>UNDERTAKING</u>
1.	I/we undertake that I/we have carefully studied all the terms and conditions and understand the parameters of the proposed work of NBT and shall abide by them.
2.	I/we further undertake that the information given in this tender are true and correct in all respects and I/we hold the responsibility for the same.
Date Place	(Signature of the tenderer with stamp of the firm)

# TENDER FORM - II (FINANCIAL BID)

# Specification of Work/ Bill of Quantity for Nagpur (Maharashtra) Book Fair to be organized during 2019-20.

SI. No.	Particulars	Appx./ Estimated Quantity	Rate per unit for full duration (in ₹)	Total for full duration (in ₹)
A. 1.(a)	Structure The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls (3x3 Mtr.) and 10 Stalls (2x2 Mtr.) with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand (*)new laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding Inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required.(Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar should be properly closed in the night for security reasons.  In case the Auditorium is required to be constructed outside the Hangar structure, the wooden platform with brand new laminated synthetic carpet (as per the specification mention below) is also required in the Auditorium.	25 x 60 sq. mtr. (1500 sq. mtr.)		

	and of required shades & laying with approved adhesive or double side tape wherever required etc. as per the direction of officer-incharge, I/C covering with polythene sheet till the inauguration of a fair. Using a brand new laminated carpet.		
2.	Air-conditioning of Hangar for 9 days (in tons)	250 tons	
3.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be	50 - 70	
	provided by the contractor)		
4.	Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)	10	
5.	Chemical Toilet block 4' x 4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate for Ladies and Gents)	2	

	Cata Cina, (width 24) haight 24) and as not design siven	2	
6.	Gate Size: (width 24'xheight 24') and as per design given	2	
	by the office		
	Material: Metallic frame on all four sides lettering on flex.		
	Provision of 12 LED Halogen lights of 150 watts (4 LED		
	each in 3 block / column) should be done in each entry		
	gate to have proper visions for the visitors during night.		
	Four 150 watt LED halogen light may also be provided for		
7	each gate to have sufficient illumination in the night.	(a. 7/a) (a. 7/a)	
7.	Individual rate need to be quoted for each item from S.N.	10.7(a) to $7(g)$	
	a) Backdrop in the size of <b>30'x8'</b> with flex on wooden	3	
	frame with lettering on flex of approved shade	3	
	b) Dais: Size 30'x20'x1½' in height made of wooden	1	
	platform with new brand laminated synthetic	'	
	carpet(*) with needle punch of blue/red colour; table		
	15'x3' with table cloth and frill in front, one		
	lightening lamp, 10 wooden cushioned arm chairs,		
	25 ceiling fan/pedestal fans and 10 Air Conditioner		
	should be made available two days before starting		
	of the Book Fair for press conference. The date and		
	timing will be informed separately by officer		
	Incharge). Decoration of stage and dias with fresh		
	flowers / flowers arrangements in consultation with		
	officers incharge along with arrangement of 24		
	Mineral Water Bottles (200 ML) for Dais and Name		
	plates at the Dias (10) alongwith the provision of		
	Green Room of 36 Sq. Mtr. as per the direction of		
	the officer incharge.		
	c) Podium with frill along with NBT Logo (size as per	1	
	requirement)		
	d) Complete PA System and audio recording of		
	inaugural function and other programmes along		
	with provision of playing instrumental music during		
	the Book Fair	1	
	i. Hanging Speakers (6) and Big speakers (4)		
	ii. Microphone HIFI (8 fixed with stand and 6		
	cordless microphone) (14)		
	e) Sofa Sets (3 seater) with white covers along with 4	16	
	central tables	1.70	
	f) Chairs with white cover for seat and back	150	
	g) Queue Manager	12	
8.	Brand new laminated carpet(*) for floor area (same	1000 sq. mtr	
	specification as given for carpet in structure at s.no. 1)	4500	
9.	Ground Net (Green)	1500 sq. mtr.	
10.	Pots with seasonal flowers/plants	60	
11.	Fire Fighting Equipment (CO <sup>2</sup> Water and powder mix with	40	
12	refilling dates)	10	
12.	New brand Dustbins (Big Size) Plastic with cover (Picture	10	
12	attached)	4	
13.	List of participants on 12' x 6' (one each in English/	4	
1	Regional language) Schedule of programs on 12' x 6' (one each in English/		
1	Regional language)		
<u> </u>	rregional language/		

14.	Indicator 6' x 3' (English/Regional language)	10	
15.	Sweepers for cleaning of ground are required one day	3	
	before start of the Book Fair and till the end of the Book		
	Fair (10:00 a.m. to 8:00 p.m.)		
	,		
16.	Security personnel round the clock are required one day		
	before start of the Book Fair and till the end of the Book		
	Fair: (*) Rates may be given on per day basis only:		
	a) Supervisor	1	
	b) Guards	3	
17.	New Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	1	
18.	Wooden platform	500 sq. mtr.	
19.	Preparation of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' / 12'x12')	2000 sq. ft.	
20.	Industrial Cooler (as per the pic enclosed) with the	10	
	provision of water facility on daily basis.		
21.	(*) Additional items, if required – (Rates may be given for fu	ll duration)	
	a) Wooden/steel tables 5'x2'	5	
	b) Octonorm Table for display of Books	50	
	c) Three orange Octonorm Panel Wall	30	
	d) Ceiling/Pedestal Fan	50	
	e) Wall Screen (Size 52") with provision of relaying	1	
	live programmes		
	f) Wooden garden bench	5	
	g) Reclining chair	5	
	h) Hydraulic Stool	5	
	I) Hammocks	5	
	j) Executive chair (wooden)	50	
	k) Pagoda (2.5mtr.x25.Mtr.)	5	
	I) Pagoda (5mtr.x5mtr.)	5	
	m) Executive 2 seater sofa-set	15	
	n) Executive 3 seater sofa-set	15	
	o) Central table	5	
	p) Tin Wall	1000 sq. mtr.	
	q) Cloth Wall	1000 sq. mtr.	
	r) Preparation and fixing of Flex/Banners on good quality (2.5'x5' Size – as per layout provided by	50	
	NBT. The location for fixing of flex/banners will be		
	informed by Officer In-charge.		
	s) Polythene	500 Sq. mtr.	
	t) Speaker	5	
	u) Microphone HIFI	5	
	v) Water jug (Mayur jug)	1	
	w) Air Conditioner (per ton)	50	
	X) LED Wall Screen of Size 8'x6' with Ramp (With	1	
	operator) P5		
	(*) The Contractor has to quote the rates against each		
	of the items/furniture/equipment. These rates shall		
	not be taken into account while finalizing the tender.		
	However, on demand of NBT, the contractor has to		
	provide any of one or all the items/furniture/		
	equipment as per the work-order to be issued by NBT		
	prior to start of the Book Fair, failing which suitable		
	penalty as deemed fit will be taken.		

22. LED Metal lights of 150 Watt similar to Philips lamps with adjustable beam and angle complete with lamps and necessary witing  23. Halogen LED Lights of 150 Watt with adjustable beam and angle complete with sufficient lighting and necessary wiring  24. Zero watt LED colored / decorative bulbs  25. Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections inter	B. Ins	stallation of Electrical fitting		
adjustable beam and angle complete with lamps and necessary wiring  3. Halogen LED Lights of 150 Watt with adjustable beam and angle complete with sufficient lighting and necessary wiring  24. Zero watt LED colored / decorative bulbs  5. Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed – to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB it on termination laying of cable in floor, trench, carpets and tapping with power supply from permanent D8 of the Ground tic connections interconnection and maintenance during the fair period. (The cables and			50	
necessary wiring  Halogen LED Lights of 150 Watt with adjustable beam and angle complete with sufficient lighting and necessary wiring  24. Zero watt LED colored / decorative bulbs  2000  Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgaer such as ICTPN, ICSPN/MGB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under			- •	
Alalogen LED Lights of 150 Watt with adjustable beam and angle complete with sufficient lighting and necessary wiring  24. Zero watt LED colored / decorative bulbs  Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed – to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent D8 of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat et		· _ · _ · _ · _ · _ · _ · _ · _ · _		
and angle complete with sufficient lighting and necessary wiring  24. Zero watt LED colored / decorative bulbs  25. Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and tollet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in warious stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPNMOME i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only	23.		30	
wiring  24. Zero watt LED colored / decorative bulbs  25. Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls' stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/nubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in				
24. Zero watt LED colored / decorative bulbs  5ilent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/fubber covering mat etc. under the wooden ramps/fubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as qu				
Silent Generator set: The generator should be in operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR One 125 KVA Generator set (with fuel and operator) for full duration One 62 KVA Generator set (with fuel and operator) for full duration  Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	24.	ŭ	2000	
operational condition one day before start of the Book Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hirring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent D8 of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent D8 of the Ground i/c connections interconnection and maintenance during the fair period. (The ca				
Fair and till the conclusion of the Fair.  FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
FOR HANGAR  One 125 KVA Generator set (with fuel and operator) for full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3% /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
One 125 KVA Generator set (with fuel and operator) for full duration One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
full duration  One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½, 4/ core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.			1	
One 62 KVA Generator set (with fuel and operator) for full duration  26. Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the capet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		, , , , , , , , , , , , , , , , , , , ,	•	
duration  Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hirring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.			1	
Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the wooden ramps in case of any increase or decrease in number of stalls.		· · · · · · · · · · · · · · · · · · ·	•	
generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	26		1	
inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	20.	•	•	
Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination lajving of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		1 1		
contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
Authorities at his own cost. Only actual consumption charges will be reimbursed —to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		1		
charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
be given to contractor for hiring and providing such extra generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
generator, if any.  Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
Note:  1. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		generator, if any.		
rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		rating from switch board in various stands and with		
switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		suitable size of cooper/aluminum 3½ /4 core armoured		
termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		cable and earth wire controlled with suitable capacity		
tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		switchgear such as ICTPN, ICSPN/MCB i/c end		
tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		maintenance during the fair period. (The cables and		
ramps/rubber covering mat etc. under the carpet on ground floor.  2. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.		ramps/rubber covering mat etc. under the carpet on		
Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.				
be made in case of any increase or decrease in number of stalls.				
number of stalls.				
27. Street light iron poles (20'x2-1/2") 25				
	27.	Street light iron poles (20'x2-1/2")	25	

28.	Preparation & distribution of Handbills through Hawkers (Bilingual) <b>on both sides</b> of the good quality of paper (8x10 Size)-As per layout provided by NBT	10000	
29.	Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT	1000	
30.	Photography (Photographs should be provided in the DVD	Per day	
	after the Book Fair). 100 photographs of inauguration and	basis	
	other important programmes are required in good quality	(for 9 days)	
	Album form in consultation with Officer In-charge		
31.	Videography (All Programmes should be provided in the	Per day	
	DVD after the Book Fair)	basis	
		(for 9 days)	
	Amount		
	Service Tax/GST (whichever is applicable)		
	Total Amount		

Requirement may increase or decrease as per decision of Competent Authority.

(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

#### NOTE:

- 1. No additional work may be done by the Contractor without obtaining the written approval of DD(Exhibition) or Officer-In-Charge of the Fair failing which no payment will be made for the additional work.
- 2. Rates for the items 6 (a) to (f) for one day as well as for full duration including inaugural day may be mentioned.
- 3. The rates quoted in the Price Schedule shall be inclusive of all taxes, levies etc. except GST which shall be paid on rates applicable from time to time under the ACT. Nothing extra shall be payable in addition to the accepted rate as per the Price Schedule.
- 4. The quantities mentioned in the schedule may be increased or reduced at the discretion of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.
- 5. We have read the "Terms & Conditions" mentioned in the Tender Document and agree that they are the part of Tender Document and also agree to abide by them.

(SIGNATURE OF THE CONTRACTOR)
(WITH SEAL)

# TENDER FORM - II (FINANCIAL BID)

# Specification of Work/ Bill of Quantity for Bengaluru (Karnataka) Book Fair to be organized during 2019-20.

SI. No.	Particulars	Appx./ Estimated Quantity	Rate per unit for full duration (in ₹)	Total for full duration (in ₹)
A. 1.(a)	Structure The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls (3x3 Mtr.) and 10 Stalls (2x2 Mtr.) with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand (*)new laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding Inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required.(Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar should be properly closed in the night for security reasons.  In case the Auditorium is required to be constructed outside the Hangar structure, the wooden platform with brand new laminated synthetic carpet (as per the specification mention below) is also required in the Auditorium.  * providing & laying on hire basis a brand new laminated carpet, non-wooven	25 x 60 sq. mtr. (1500 sq. mtr.)		

	and of required shades & laying with approved adhesive or double side tape wherever required etc. as per the direction of officer-incharge, I/C covering with polythene sheet till the inauguration of a fair. Using a brand new laminated carpet.		
2.	Air-conditioning of Hangar for 9 days (in tons)	250 tons	
3.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be	50 - 70	
	provided by the contractor)		
4.	Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 2m x2m, each with prefab octonorm system of the same colour in each stall, consisting of 6 MS shelves of size 60"x8.5" with 2" depth duly powder coated in white colour, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chair with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 2m x 2m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)	10	
5.	Chemical Toilet block 4' x 4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate for Ladies and Gents)	2	

	Cata Cira, (width Odishaight Odi) and as non design given			
6.	Gate Size: (width 24'xheight 24') and as per design given	2		
	by the office			
	Material: Metallic frame on all four sides lettering on flex.			
	Provision of 12 LED Halogen lights of 150 watts (4 LED			
	each in 3 block / column) should be done in each entry			
	gate to have proper visions for the visitors during night.			
	Four 150 watt LED halogen light may also be provided for			
7.	each gate to have sufficient illumination in the night.  Individual rate need to be quoted for each item from S.N.	No. 7(a) to. 7(a)		
7.	marvioual rate need to be quoted for each item from 3.19	vo.7(a) to 7(g)		
	a) Backdrop in the size of <b>30'x8'</b> with flex on wooden	3		
	frame with lettering on flex of approved shade			
	b) Dais: Size 30'x20'x1½' in height made of wooden	1		
	platform with new brand laminated synthetic	'		
	carpet(*) with needle punch of blue/red colour; table			
	15'x3' with table cloth and frill in front, one			
	lightening lamp, 10 wooden cushioned arm chairs,			
	25 ceiling fan/pedestal fans and 10 Air Conditioner			
	should be made available two days before starting			
	of the Book Fair for press conference. The date and			
	timing will be informed separately by officer			
	Incharge). Decoration of stage and dias with fresh			
	flowers / flowers arrangements in consultation with			
	officers incharge along with arrangement of 24			
	Mineral Water Bottles (200 ML) for Dais and Name			
	plates at the Dias (10) alongwith the provision of			
	Green Room of 36 Sq. Mtr. as per the direction of			
	the officer incharge.			
	c) Podium with frill along with NBT Logo (size as per	1		
	requirement)			
	d) Complete PA System and audio recording of			
	inaugural function and other programmes along			
	with provision of playing instrumental music during			
	the Book Fair	1		
	i. Hanging Speakers (6) and Big speakers (4)			
	ii. Microphone HIFI (8 fixed with stand and 6			
	cordless microphone) (14)			
	e) Sofa Sets (3 seater) with white covers along with 4	16		
	central tables			
	f) Chairs with white cover for seat and back	150	_	
_	g) Queue Manager	12	_	
8.	Brand new laminated carpet(*) for floor area (same	1000 sq. mtr		
	specification as given for carpet in structure at s.no. 1)	4500	_	
9.	Ground Net (Green)	1500 sq. mtr.	_	
10.	Pots with seasonal flowers/plants	60	_	
11.	Fire Fighting Equipment (CO <sup>2</sup> Water and powder mix with	40		
10	refilling dates)			
12.	New brand Dustbins (Big Size) Plastic with cover (Picture	10		
40	attached)			
13.	List of participants on 12' x 6' (one each in English/	4		
1	Regional language)			
	Schedule of programs on 12' x 6' (one each in English/ Regional language)			
<u> </u>	negional language)			

14.	Indic	ator 6' x 3' (English/Regional language)	10	
15.		epers for cleaning of ground are required one day	3	
	before start of the Book Fair and till the end of the Book		· ·	
		(10:00 a.m. to 8:00 p.m.)		
16.		urity personnel round the clock are required one day		
		re start of the Book Fair and till the end of the Book		
	Fair:	(*) Rates may be given on per day basis only:		
	a)	Supervisor	1	
	b)	Guards	3	
17.	New	Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	1	
18.	Woo	den platform	500 sq. mtr.	
19.	Prep 12'x'	aration of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' / 12')	2000 sq. ft.	
20.		strial Cooler (as per the pic enclosed) with the ision of water facility on daily basis.	10	
21.		dditional items, if required – (Rates may be given for ful	l duration)	
	a)	Wooden/steel tables 5'x2'	5	
	b)	Octonorm Table for display of Books	50	
	c)	Three orange Octonorm Panel Wall	30	
	d)	Ceiling/Pedestal Fan	50	
	e)	Wall Screen (Size 52") with provision of relaying live programmes	1	
	f)	Wooden garden bench	5	
	g)	Reclining chair	5	
	h)	Hydraulic Stool	5	
	1)	Hammocks	5	
	i)	Executive chair (wooden)	50	
	k)	Pagoda (2.5mtr.x25.Mtr.)	5	
	D)	Pagoda (5mtr.x5mtr.)	5	
	m)	Executive 2 seater sofa-set	15	
	n)	Executive 3 seater sofa-set	15	
	o)	Central table	5	
	p)	Tin Wall	1000 sq. mtr.	
	q)	Cloth Wall	1000 sq. mtr.	
	r)	Preparation and fixing of Flex/Banners on good	50	
	,	quality (2.5'x5' Size - as per layout provided by		
		NBT. The location for fixing of flex/banners will be		
		informed by Officer In-charge.		
	s)	Polythene	500 Sq. mtr.	
	t)	Speaker	5	
	u)	Microphone HIFI	5	
	v)	Water jug (Mayur jug)	1	
	w)	Air Conditioner (per ton)	50	
	X)	LED Wall Screen of Size 8'x6' with Ramp (With	1	
	/+\ <del>-</del>	operator) P5		
	(*) The Contractor has to quote the rates against each			
	of the items/furniture/equipment. These rates shall			
	not be taken into account while finalizing the tender.			
	However, on demand of NBT, the contractor has to provide any of one or all the items/furniture/			
		pment as per the work-order to be issued by NBT		
	prio	to start of the Book Fair, failing which suitable		
	pena	alty as deemed fit will be taken.		

B. Installation of Electrical fitting					
22.	LED Metal lights of 150 Watt similar to Philips lamps with	50			
22.	adjustable beam and angle complete with lamps and	30			
	necessary wiring				
23.	Halogen LED Lights of 150 Watt with adjustable beam	30			
23.	and angle complete with sufficient lighting and necessary	30			
24	wiring	2000			
24.	Zero watt LED colored / decorative bulbs	2000			
25.	Silent Generator set: The generator should be in				
	operational condition one day before start of the Book				
	Fair and till the conclusion of the Fair.				
	FOR HANGAR				
	One 125 KVA Generator set (with fuel and operator) for	1			
	full duration				
	One 62 KVA Generator set (with fuel and operator) for full	1			
	duration				
26.	Main line connection for total job from electric and	1			
	generator set sources and providing a line for connection				
	inside the stalls/ stands of participants, illumination of				
	Main Gate and toilet, area of the exhibition ground and				
	any other area of the ground, if required with proper and				
	sufficient supply. It shall be the duty of the contractor to				
	get the temporary electric connection for the fair at his				
	own cost one day before start of the Book Fair. The				
	contractor shall arrange installation of the connection,				
	tendering of Security Deposit etc., to Government				
	Authorities at his own cost. Only actual consumption				
	charges will be reimbursed -to contractor by NBT on				
	production of original bill by the contractor. In case of any				
	problem for getting electric connection, it shall be the sole				
	responsibility of the contractor to provide adequate supply				
	through hiring more generators at his own cost one day				
	before start of the Book Fair and no extra payment shall				
	be given to contractor for hiring and providing such extra				
	generator, if any.				
	Note:				
	1. Providing power connection of various connected				
	rating from switch board in various stands and with				
	suitable size of cooper/aluminum 3½ /4 core armoured				
	cable and earth wire controlled with suitable capacity				
	switchgear such as ICTPN, ICSPN/MCB i/c end				
	termination laying of cable in floor, trench, carpets and				
	tapping with power supply from permanent DB of the				
	Ground i/c connections interconnection and				
	maintenance during the fair period. (The cables and				
	other wiring needs to be put under the wooden				
	ramps/rubber covering mat etc. under the carpet on				
	ground floor.				
	2. Only one time payment as quoted by the Tenderer will				
	be made in case of any increase or decrease in				
	number of stalls.				
27.	Street light iron poles (20'x2-1/2")	25			

28.	Preparation & distribution of Handbills through Hawkers (Bilingual) <b>on both sides</b> of the good quality of paper (8x10 Size)-As per layout provided by NBT	10000	
29.	Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT	1000	
30.	Photography (Photographs should be provided in the DVD	Per day	
	after the Book Fair). 100 photographs of inauguration and	basis	
	other important programmes are required in good quality	(for 9 days)	
	Album form in consultation with Officer In-charge		
31.	Videography (All Programmes should be provided in the	Per day	
	DVD after the Book Fair)	basis	
		(for 9 days)	
	Amount		
	Service Tax/GST (whichever is applicable)		
	Total Amount		

Requirement may increase or decrease as per decision of Competent Authority.

(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

#### NOTE:

- 3. No additional work may be done by the Contractor without obtaining the written approval of DD(Exhibition) or Officer-In-Charge of the Fair failing which no payment will be made for the additional work.
- **4.** Rates for the items 6 (a) to (f) for one day as well as for full duration including inaugural day may be mentioned.
- **5.** The rates quoted in the Price Schedule shall be inclusive of all taxes, levies etc. except GST which shall be paid on rates applicable from time to time under the ACT. Nothing extra shall be payable in addition to the accepted rate as per the Price Schedule.
- 6. The quantities mentioned in the schedule may be increased or reduced at the discretion of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.
- 7. We have read the "Terms & Conditions" mentioned in the Tender Document and agree that they are the part of Tender Document and also agree to abide by them.

(SIGNATURE OF THE CONTRACTOR)
(WITH SEAL)

# TENDER FORM - II (FINANCIAL BID)

## Specification of Work/ Bill of Quantity for Aizwal (Mizoram) Book Fair

SI. No.	Particulars	Appx./ Estimated Quantity	Rate per unit for full duration (in ₹)	Total for full duration (in ₹)
A. 1.(a)	Structure  The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls of size 3x3 mtr. with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand (")new laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding Inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required.(Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar should be properly closed in the night for security reasons.  In case the Auditorium is required to be constructed outside the Hangar structure, the wooden platform with brand new laminated synthetic carpet (as per the specification mention below) is also required in the	Quantity  25 x 60 sq. mtr. (1500 sq. mtr.)		
	* providing & laying on hire basis a brand new laminated carpet, non-wooven needle punch carpet of genuine fibre minimum overall weight 1000 gm/ sgm (+(-) 5%) having minimum 3.90 mm thickness preferable containing 375 gm polyester fibre or equivalent fibre (+(-) 5%) and the carpet should not			

	loss the thickness more than 25% after 1000 impact and of required shades & laying with approved adhesive or double side tape wherever required etc. as per the direction of officer-incharge, I/C covering with polythene sheet till the inauguration of a fair. Using a brand new laminated carpet.		
2.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chairs with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)	50 - 70	
3.	Chemical Toilet block 4' x 4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate for Ladies and Gents)	2	
4.     5.	Gate Size: (width 24'xheight 24') and as per design given by the office Material: Metallic frame on all four sides lettering on flex. Provision of 12 LED Halogen lights of 150 watts (4 LED each in 3 block / column) should be done in each entry gate to have proper visions for the visitors during night. Four 150 watt LED halogen light may also be provided for each gate to have sufficient illumination in the night.  Individual rate need to be quoted for each item from S.N.	2 lo.7(a) to 7(g)	
	a) Backdrop in the size of <b>30'x8'</b> with flex on wooden	3	
	frame with lettering on flex of approved shade  b) Dais: Size 30'x20'x1½' in height made of wooden platform with new brand laminated synthetic carpet(*) with needle punch of blue/red colour; table 15'x3' with table cloth and frill in front, one lightening lamp, 10 wooden cushioned arm chairs, 25 ceiling fan/pedestal fans and 10 Air Conditioner should be made available two days before starting of the Book Fair for press conference. The date and timing will be informed separately by officer Incharge). Decoration of stage and dias with fresh flowers / flowers arrangements in consultation with officers incharge along with arrangement of 24	1	

		I		
		Mineral Water Bottles (200 ML) for Dais and Name		
		plates at the Dias (10) alongwith the provision of		
		Green Room of 36 Sq. Mtr. as per the direction of		
		the officer incharge.		
	c)	Podium with frill along with NBT Logo (size as per	1	
	0)	requirement)	•	
	d)	Complete PA System and audio recording of		
	u)			
		inaugural function and other programmes along		
		with provision of playing instrumental music during		
		the Book Fair	1	
		i. Hanging Speakers (6) and Big speakers (4)		
		ii. Microphone HIFI (8 fixed with stand and 6		
		cordless microphone) (14)		
	e)	Sofa Sets (3 seater) with white covers along with 4	16	
	()	central tables	10	
	<b>t</b> /		450	
	f)	Chairs with white cover for seat and back	150	
	g)	Queue Manager	12	
6.		d new laminated carpet(*) for floor area (same	1000 sq. mtr	
		ification as given for carpet in structure at s.no. 1)		
7.	Grou	ind Net (Green)	1500 sq. mtr.	
8.		with seasonal flowers/plants	60	
9.		Fighting Equipment (CO <sup>2</sup> Water and powder mix with	40	
] .		ng dates)	70	
40			40	
10.		brand Dustbins (Big Size) Plastic with cover (Picture	10	
		ched)		
11.		of participants on 12' x 6' (one each in English/	4	
		onal language)		
	Sche	edule of programs on 12' x 6' (one each in English/		
	Regi	onal language)		
12.		ator 6' x 3' (English/Regional language)	10	
13.		epers for cleaning of ground are required one day	3	
10.		re start of the Book Fair and till the end of the Book	O	
		(10:00 a.m. to 8:00 p.m.)		
1.1				
14.		urity personnel round the clock are required one day		
		re start of the Book Fair and till the end of the Book		
	Fair:	(*) Rates may be given on per day basis only:		
	a)	Supervisor	1	
	b)	Guards	3	
15.	New	Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	1	
16.		den platform	500 sq. mtr.	
17.		aration of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' /	2000 sq. ft.	+
'''	12'x1		2000 3q. it.	
10		,	10	
18.		strial Cooler (as per the pic enclosed) with the	10	
	provi	sion of water facility on daily basis.		
19.		dditional items, if required – (Rates may be given for ful		
1	a)	Wooden/steel tables 5'x2'	5	
	b)	Octonorm Table for display of Books	50	
	c)	Three orange Octonorm Panel Wall	30	
	d)	Ceiling/Pedestal Fan	50	
	e)	Wall Screen (Size 52") with provision of relaying	1	<del></del>
1	5)	live programmes	'	
1	t/		F	
	f)	Wooden garden bench	5	
	g)	Reclining chair	5	
	h)	Hydraulic Stool	5	
	I)	Hammocks	5	
1	i)	Executive chair (wooden)	50	
	11/			
	1/		5	
	k)	Pagoda (2.5mtr.x25.Mtr.) Pagoda (5mtr.x5mtr.)	5 5	

	m) Executive 2 seater sofa-set	15	
	n) Executive 2 seater sofa-set n) Executive 3 seater sofa-set	15	
	o) Central table	5	
	,		
	17	1000 sq. mtr.	
	I/	1000 sq. mtr.	
	r) Preparation and fixing of Flex/Banners on good quality (2.5'x5' Size – as per layout provided by	50	
	NBT. The location for fixing of flex/banners will be		
	informed by Officer In-charge.		
	s) Polythene	500 Sq. mtr.	
	t) Speaker	5	
	u) Microphone HIFI	5	
	v) Water jug (Mayur jug)	1	
	w) Air Conditioner (per ton)	50	
	X) LED Wall Screen of Size 8'x6' with Ramp (With operator) P5	1	
	(*) The Contractor has to quote the rates against each		
	of the items/furniture/equipment. These rates shall		
	not be taken into account while finalizing the tender.		
	However, on demand of NBT, the contractor has to		
	provide any of one or all the items/furniture/		
	equipment as per the work-order to be issued by NBT		
	prior to start of the Book Fair, failing which suitable		
R Inc	penalty as deemed fit will be taken. tallation of Electrical fitting		
20.	LED Metal lights of 150 Watt similar to Philips lamps with	50	
20.	adjustable beam and angle complete with lamps and	30	
	necessary wiring		
21.	Halogen LED Lights of 150 Watt with adjustable beam	30	
	and angle complete with sufficient lighting and necessary		
	wiring		
22.	Zero watt LED colored / decorative bulbs	2000	
23.	Silent Generator set: The generator should be in		
	operational condition one day before start of the Book		
	Fair and till the conclusion of the Fair.		
A.	FOR HANGAR		
	One 125 KVA Generator set (with fuel and operator) for	1	
	full duration		
	One 62 KVA Generator set (with fuel and operator) for full	1	
	duration		

1	generator set sources and providing a line for connection		
	inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and		
	any other area of the ground, if required with proper and		
	sufficient supply. It shall be the duty of the contractor to		
	get the temporary electric connection for the fair at his		
	own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection,		
	tendering of Security Deposit etc., to Government		
	Authorities at his own cost. Only actual consumption		
	charges will be reimbursed –to contractor by NBT on production of original bill by the contractor. In case of any		
	problem for getting electric connection, it shall be the sole		
	responsibility of the contractor to provide adequate supply		
	through hiring more generators at his own cost one day		
	before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra		
	generator, if any.		
	Note:		
	Providing power connection of various connected rating from switch board in various stands and with		
	suitable size of cooper/aluminum 3½ /4 core armoured		
	cable and earth wire controlled with suitable capacity		
	switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and		
	tapping with power supply from permanent DB of the		
	Ground i/c connections interconnection and		
	maintenance during the fair period. (The cables and		
	other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the carpet on		
	ground floor.		
	Only one time payment as quoted by the Tenderer will		
	be made in case of any increase or decrease in number of stalls.		
25.	Street light iron poles (20'x2-1/2")	25	
26.	Preparation & distribution of Handbills through Hawkers	10000	
	(Bilingual) <b>on both sides</b> of the good quality of paper (8x10 Size)-As per layout provided by NBT		
27.	Preparation of Posters on good quality (15"x18" Size)—As	1000	
	per layout provided by NBT		
28.	Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and	Per day basis	
	other important programmes are required in good quality	(for 9 days)	
	Album form in consultation with Officer In-charge		
29.	Videography (All Programmes should be provided in the	Per day	
	DVD after the Book Fair)	basis (for 9 days)	
	Amount	(10. 0 dayo)	
	Service Tax/GST (whichever is applicable)		
	Total Amount		

Requirement may increase or decrease as per decision of Competent Authority.

(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

#### NOTE:

- 8. No additional work may be done by the Contractor without obtaining the written approval of DD(Exhibition) or Officer-In-Charge of the Fair failing which no payment will be made for the additional work.
- 9. Rates for the items 6 (a) to (f) for one day as well as for full duration including inaugural day may be mentioned.
- **10.**The rates quoted in the Price Schedule shall be inclusive of all taxes, levies etc. except GST which shall be paid on rates applicable from time to time under the ACT. Nothing extra shall be payable in addition to the accepted rate as per the Price Schedule.
- 11. The quantities mentioned in the schedule may be increased or reduced at the discretion of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.
- 12.We have read the "Terms & Conditions" mentioned in the Tender Document and agree that they are the part of Tender Document and also agree to abide by them.

(SIGNATURE OF THE CONTRACTOR) (WITH SEAL)

## TENDER FORM - II (FINANCIAL BID)

# Specification of Work/ Bill of Quantity for Shillong (Meghalaya) Book Fair

SI. No.	Particulars	Appx./ Estimated Quantity	Rate per unit for full duration (in ₹)	Total for full duration (in ₹)
A. 1.(a)	Structure The hanger with Aluminum structure with waterproof and fire retardant sheet should be strong enough to sustain high speed wind/rain pressure. The hanger structure should cover 80 stalls of size 3x3 mtr. with having passage of 4 mtr. (at least) in between the line of stalls/stands with entry and exit gate Wooden platform of 9" height made with 19mm thick hard board and bed supported with providing 2"x2" wooden batons in properly leveled having no undulation, create no sound on using and covered with brand (*)new laminated carpet (two colour, one for stall and other colour for passage) on complete area. 75 ceiling/pedestal fans are required to cover up the entire area of stalls/stands/passage. Auditorium of size 15mtr. X 25mtr. (with orange panels on all sides) is also required within/outside the hanger structure. The entire Hangar structure should be surrounded by Tin Wall and new Blue/White Cloth Wall (4 sides). At least 10 metal light should be provided one day before start of the Book Fair for setting-up/display of Books by publishers in evening/night. The flex/branding of the book fair may be affixed/ provided on Iron Frame on the entry (which is two or three side as per the discretion of NBT having a triangular size of approx 80 or 100x25or 30 mt) on the Hangar structure in the form of Gate / fasad as per the design provided by NBT (both side of the entrance as per the requirement) and also branding Inside the hangar (top). Specifications/size to be provided separately. Also 2 hoardings of size 20 x 20 is required.(Design to be provided by NBT). Kindly refer to the picture enclosed at the last page of the tender. Hangar should be properly closed in the night for security reasons.  In case the Auditorium is required to be constructed outside the Hangar structure, the wooden platform with brand new laminated synthetic carpet (as per the specification mention below) is also required in the Auditorium.	Quantity  25 x 60 sq. mtr. (1500 sq. mtr.)		
	* providing & laying on hire basis a brand new laminated carpet, non-wooven needle punch carpet of genuine fibre minimum overall weight 1000 gm/ sgm (+(-) 5%) having minimum 3.90 mm thickness preferable containing 375 gm polyester fibre or equivalent fibre (+(-) 5%) and the carpet should not loss the thickness more than 25% after 1000 impact and of required shades & laying with approved			

	adhesive or double side tape wherever required etc. as per the direction of officer-incharge, I/C covering with polythene sheet till the inauguration of a fair. Using a brand new laminated carpet.		
2.	Stall: Size 3m x 3m  Stalls with computerized lettering on vinyl cutting name fascia in English/Regional Language of size 3m x3m, each with prefab octonorm system of the same colour in each stall, consisting of 9 MS shelves of size 96"x8.5" with 2" depth duly powder coated in white colour Or 27 Wire Mesh Shelves, 6 LED light (each of 18 watts), one octonorm table for counter of the same colour, two black cushioned chairs with arms, a plug point for computer, one mayur jug with cold water facility (20 ltr.) on per day basis, one new Dustbin and one kanat of good quality of size 3mx3m size with provision of proper hanging system for covering/closing the stall after the Book Fair timings. The kanat should be made available to the participants a day before start of the Book Fair. 4mtr.x4mtr. Polythene to cover the books is also required in each stall.  Laying & fixing of new brand laminated carpet(*) in the entire passage of indoor hall including the stalls/stands area, in case where structure is not required, should be provided by the contractor)	50 - 70	
3.	Chemical Toilet block 4' x 4' (if required) With necessary tap fittings and fixtures including washbasin with the provision of water tanker on the top having the capacity of 1000 Ltr of water on daily basis, doors (with key and lock system) with provision of water flow. Electrical fitting with bulb for sufficient light in toilet area as well as way to toilets (each separate for Ladies and Gents)	2	
<ol> <li>4.</li> <li>5.</li> </ol>	Gate Size: (width 24'xheight 24') and as per design given by the office Material: Metallic frame on all four sides lettering on flex. Provision of 12 LED Halogen lights of 150 watts (4 LED each in 3 block / column) should be done in each entry gate to have proper visions for the visitors during night. Four 150 watt LED halogen light may also be provided for each gate to have sufficient illumination in the night.  Individual rate need to be quoted for each item from S.N.	2	
5.			
	a) Backdrop in the size of <b>30'x8'</b> with flex on wooden frame with lettering on flex of approved shade	3	
	b) Dais: Size 30'x20'x1½' in height made of wooden platform with new brand laminated synthetic carpet(*) with needle punch of blue/red colour; table 15'x3' with table cloth and frill in front, one lightening lamp, 10 wooden cushioned arm chairs, 25 ceiling fan/pedestal fans and 10 Air Conditioner should be made available two days before starting of the Book Fair for press conference. The date and timing will be informed separately by officer Incharge). Decoration of stage and dias with fresh flowers / flowers arrangements in consultation with officers incharge along with arrangement of 24	1	

		Mineral Water Bottles (200 ML) for Dais and Name		
		plates at the Dias (10) alongwith the provision of		
		Green Room of 36 Sq. Mtr. as per the direction of		
		the officer incharge.		
	c)	Podium with frill along with NBT Logo (size as per	1	
	,	requirement)	•	
	d)	Complete PA System and audio recording of		
	_ ′	inaugural function and other programmes along		
		with provision of playing instrumental music during		
		the Book Fair	1	
		iii. Hanging Speakers (6) and Big speakers (4)		
		iv. Microphone HIFI (8 fixed with stand and 6		
		cordless microphone) (14)		
	e)	Sofa Sets (3 seater) with white covers along with 4	16	
		central tables		
	f)	Chairs with white cover for seat and back	150	
	g)	Queue Manager	12	
6.		d new laminated carpet(*) for floor area (same	1000 sq. mtr	
		ification as given for carpet in structure at s.no. 1)	4500	
7.		Ind Net (Green)	1500 sq. mtr.	
8.		with seasonal flowers/plants	60	
9.		Fighting Equipment (CO <sup>2</sup> Water and powder mix with	40	
10		ng dates)	40	
10.		brand Dustbins (Big Size) Plastic with cover (Picture	10	
11.		ched) of participants on 12' x 6' (one each in English/	4	
11.		onal language)	4	
		edule of programs on 12' x 6' (one each in English/		
		onal language)		
12.		ator 6' x 3' (English/Regional language)	10	
13.		epers for cleaning of ground are required one day	3	
10.		re start of the Book Fair and till the end of the Book	Ü	
		(10:00 a.m. to 8:00 p.m.)		
14.		urity personnel round the clock are required one day		
		re start of the Book Fair and till the end of the Book		
	Fair:	(*) Rates may be given on per day basis only:		
	a)	Supervisor	1	
	b)	Guards	3	
15.	New	Steel Almirah (Full Size) - (0.90 x 0.40 x 1.97 m)	1	
16.		den platform	500 sq. mtr.	
17.		aration of Hoardings (Size: 20'x10' / 5'x3' / 20'x20' /	2000 sq. ft.	
	12'x1			
18.		strial Cooler (as per the pic enclosed) with the	10	
		sion of water facility on daily basis.		
19.		dditional items, if required – (Rates may be given for ful		
	a)	Wooden/steel tables 5'x2'	5	
	b)	Octonorm Table for display of Books	50	
	c)	Three orange Octonorm Panel Wall	30	
	<u>d)</u>	Ceiling/Pedestal Fan	50	
	e)	Wall Screen (Size 52") with provision of relaying	1	
	()	live programmes		
	f)	Wooden garden bench	5	
	g)	Reclining chair	5	
	h)	Hydraulic Stool	5	
	l)	Hammocks	5	
	j)	Executive chair (wooden)	50	
	k)	Pagoda (2.5mtr.x25.Mtr.)	5 5	
	l)	Pagoda (5mtr.x5mtr.)	5	

	m) Executive 2 seater sofa-set	15	
	n) Executive 2 seater sofa-set n) Executive 3 seater sofa-set	15	
	o) Central table	5	
	,		
	17	1000 sq. mtr.	
	q) Cloth Wall	1000 sq. mtr.	
	r) Preparation and fixing of Flex/Banners on good quality (2.5'x5' Size – as per layout provided by	50	
	NBT. The location for fixing of flex/banners will be		
	informed by Officer In-charge.		
	s) Polythene	500 Sq. mtr.	
	t) Speaker	5	
	u) Microphone HIFI	5	
	v) Water jug (Mayur jug)	1	
	w) Air Conditioner (per ton)	50	
	X) LED Wall Screen of Size 8'x6' with Ramp (With operator) P5	1	
	(*) The Contractor has to quote the rates against each		
	of the items/furniture/equipment. These rates shall		
	not be taken into account while finalizing the tender.		
	However, on demand of NBT, the contractor has to		
	provide any of one or all the items/furniture/		
	equipment as per the work-order to be issued by NBT		
	prior to start of the Book Fair, failing which suitable		
	penalty as deemed fit will be taken.		
B. Inst	tallation of Electrical fitting		
20.	LED Metal lights of 150 Watt similar to Philips lamps with	50	
	adjustable beam and angle complete with lamps and		
	necessary wiring		
21.	Halogen LED Lights of 150 Watt with adjustable beam	30	
	and angle complete with sufficient lighting and necessary		
	wiring		
22.	Zero watt LED colored / decorative bulbs	2000	
23.	Silent Generator set: The generator should be in		
	operational condition one day before start of the Book		
	Fair and till the conclusion of the Fair.		
A.	FOR HANGAR		
	One 125 KVA Generator set (with fuel and operator) for	1	
	full duration		
	One 62 KVA Generator set (with fuel and operator) for full	1	
	duration		

25. Street light iron poles (20'x2-½")  26. Preparation & distribution of Handbills through Hawkers (Bilingual) on both sides of the good quality of paper (8x10 Size)-As per layout provided by NBT  27. Preparation of Posters on good quality (15"x18" Size)-As per layout provided by NBT  28. Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge  29. Videography (All Programmes should be provided in the DVD after the Book Fair)  Amount  Service Tax/GST (whichever is applicable)  Total Amount	24.	Main line connection for total job from electric and generator set sources and providing a line for connection inside the stalls/ stands of participants, illumination of Main Gate and toilet, area of the exhibition ground and any other area of the ground, if required with proper and sufficient supply. It shall be the duty of the contractor to get the temporary electric connection for the fair at his own cost one day before start of the Book Fair. The contractor shall arrange installation of the connection, tendering of Security Deposit etc., to Government Authorities at his own cost. Only actual consumption charges will be reimbursed—to contractor by NBT on production of original bill by the contractor. In case of any problem for getting electric connection, it shall be the sole responsibility of the contractor to provide adequate supply through hiring more generators at his own cost one day before start of the Book Fair and no extra payment shall be given to contractor for hiring and providing such extra generator, if any.  Note:  3. Providing power connection of various connected rating from switch board in various stands and with suitable size of cooper/aluminum 3½ /4 core armoured cable and earth wire controlled with suitable capacity switchgear such as ICTPN, ICSPN/MCB i/c end termination laying of cable in floor, trench, carpets and tapping with power supply from permanent DB of the Ground i/c connections interconnection and maintenance during the fair period. (The cables and other wiring needs to be put under the wooden ramps/rubber covering mat etc. under the wooden ramps/rubber covering mat etc. under the carpet on ground floor.  4. Only one time payment as quoted by the Tenderer will be made in case of any increase or decrease in number of stalls.	1	
26. Preparation & distribution of Handbills through Hawkers (Bilingual) on both sides of the good quality of paper (8x10 Size)-As per layout provided by NBT  27. Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT  28. Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge  29. Videography (All Programmes should be provided in the DVD after the Book Fair)  Amount  Service Tax/GST (whichever is applicable)	25	Street light iron poles (20'y2 1/")	25	
27. Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT  28. Photography (Photographs should be provided in the DVD after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge  29. Videography (All Programmes should be provided in the DVD basis (for 9 days)  Amount  Service Tax/GST (whichever is applicable)		Preparation & distribution of Handbills through Hawkers (Bilingual) on both sides of the good quality of paper		
after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality Album form in consultation with Officer In-charge  29. Videography (All Programmes should be provided in the DVD after the Book Fair)  Amount  Service Tax/GST (whichever is applicable)	27.	Preparation of Posters on good quality (15"x18" Size)—As per layout provided by NBT	1000	 
29. Videography (All Programmes should be provided in the DVD after the Book Fair)  Amount  Service Tax/GST (whichever is applicable)	28.	after the Book Fair). 100 photographs of inauguration and other important programmes are required in good quality	basis	
Service Tax/GST (whichever is applicable)	29.	Videography (All Programmes should be provided in the	basis	
,		Amount		
Total Amount		` ' '		
		Total Amount		


Requirement may increase or decrease as per decision of Competent Authority.


(\*) The contractor is required to submit (with the letter of acceptance after our issuing of work order) a self-declaration (on the Company's letterhead with stamp/seal) certifying that the quality and specification of the carpet has been adhered to, as per the tender above.

#### NOTE:

- 13.No additional work may be done by the Contractor without obtaining the written approval of DD(Exhibition) or Officer-In-Charge of the Fair failing which no payment will be made for the additional work.
- **14.**Rates for the items 6 (a) to (f) for one day as well as for full duration including inaugural day may be mentioned.
- **15.**The rates quoted in the Price Schedule shall be inclusive of all taxes, levies etc. except GST which shall be paid on rates applicable from time to time under the ACT. Nothing extra shall be payable in addition to the accepted rate as per the Price Schedule.
- 16. The quantities mentioned in the schedule may be increased or reduced at the discretion of NBT and no claim in this regard shall be entertained. If considered necessary, any item could be dropped completely.
- 17.We have read the "Terms & Conditions" mentioned in the Tender Document and agree that they are the part of Tender Document and also agree to abide by them.

(SIGNATURE OF THE CONTRACTOR)
(WITH SEAL)





NON AC HANGAR

