

# **India National Stand**

at Frankfurt Book Fair 2024

16.10.24 to 20.10.24

## **Annexure 1**

Bill of Quantities (BoQ)

**National Book Trust, India**

Ministry of Education, Govt. of India

prepared by

**National Institute of Design, Ahmedabad**

**INDIA NATIONAL STAND AT FRANKFURT BOOK FAIR 2024**

Project: Fabrication & Installation of India National Stand, Stalls A34, B34, B35, Hall No 6, Frankfurt Trade Fair Grounds

**Client: National Book Trust, Govt of India**

Designers: National Institute of Design, Ahmedabad, India

**BoQ for Fabrication & Installation of the India National Stand, Hall No. 6, Frankfurt Book Fair**

EXHIBITOR STALLS / CUSTOM BUILTS								
Sr. No.	Ref. Code	Drawing Set Page No.	Description / Details	L (mm)	H (mm)	QNT.	Unit Price	Amount
1	-	9-10	<p><b>RECEPTION TABLE</b></p> <p>Custom Table made as per drawing specifications in 18mm birch ply / timber. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>	1150	1100	1		
2	RE	11-14	<p><b>RECEPTION AREA</b></p> <p>Custom Area defined by half height partitions according to drawing with graphic print on the outer side made as per drawing specifications in 18mm birch ply / timber. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>	refer drawings		1		
3	ST	16-18	<p><b>STAGE AREA</b></p> <p>Raised platform, semi-enclosed space made as per drawing specifications. Carpeted floor raised by 150mm and should have load bearing capacity conforming to DIN EN 1991-1-1/NA:2010-12 table 6.1 DE (Category C1) and shall be at least 3.0/5.0KN/sq,m depending on use. Rear wall will have TV mounting and concealed wiring arrangements as required on site. There is also a provision of a niche on the side to accommodate audio-visual tech requirements. The area in front of the stage shall have bench seating for audience.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C S2 D2 in accordance with EN 13501-1.</p> <p>Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	3875	4000	1		
4	STO	20-25	<p><b>STORAGE AREA</b></p> <p>Custom Storage Area as indicated in drawings with partition walls and graphics pasted on outside. Entry Door to be lockable. Finished with laquer polish / other suitable finish as discussed with the designer. Please refer attached drawings for detailed breakdown.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p> <p>Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	3765 x 2115	4000/2400	1		

5	PA	27-34	<p><b>PANTRY AREA</b></p> <p>Custom Pantry Area as indicated in drawings with partition walls and graphics pasted on outside. Entry Door to be lockable. Finished with laquer polish / other suitable finish as discussed with the designer. Please refer attached drawings for detailed breakdown.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>	2150 x 2000	2400	1		
6	CD	36-37	<p><b>COMMON DISPLAY</b></p> <p>Custom Display Unit made as per drawing specifications in 18mm birch ply / timber. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>	1200	1350	2		
7	C1	-	<p><b>CARPET 1</b></p> <p>Medium quality carpet, to be applied directly on the exhibition hall floor, as per colour scheme (to be) provided.</p> <p>Total area to be covered - 200 sq mt approximately; exact area as per site dimensions and drawings provided.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>			~200 sq.m.		
8	C2	-	<p><b>CARPET 2</b></p> <p>Medium quality carpet, to be applied directly on the exhibition hall floor, as per colour scheme (to be) provided. Carpet in Passage Area to be clear of any obstacles and clearly demarcated from the rest of the area.</p> <p>Total area to be covered - 72 sq mt approximately; exact area as per site dimensions and drawings provided.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>			~72 sq.m.		
9	D1	39-40	<p><b>DISPLAY SHELF 1</b> <i>Single Side Display with storage.</i></p> <p>Providing, making, fixing and positioning book display unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p> <p>Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	2150	2400	18		
10	D2	41-42	<p><b>DISPLAY SHELF 2</b> <i>Double Side Display with storage.</i></p> <p>Providing, making, fixing and positioning book display unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p> <p>Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	3670	2400	1		

11	D3	43-44	<p><b>DISPLAY SHELF 3</b> <i>Double Side Display with storage.</i></p> <p>Providing, making, fixing and positioning book display unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	2000	2400	3		
12	D4	45-46	<p><b>DISPLAY SHELF 4</b> <i>Single Side Display with storage and Print on the other side.</i></p> <p>Providing, making, fixing and positioning book display unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	2000	2400	3		
13	P1	48-49	<p><b>PARTITION WALL 1</b> <i>with storage</i></p> <p>Providing, making, fixing and positioning partition wall unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	1410	2400	1		
14	P2	50-51	<p><b>PARTITION WALL 2</b> <i>with storage</i></p> <p>Providing, making, fixing and positioning partition wall unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	3570	2400	1		
15	P3	52-53	<p><b>PARTITION WALL 3</b> <i>with storage</i></p> <p>Providing, making, fixing and positioning partition wall unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1.</p>	880	2400	1		

16	P4	54-55	<p><b>PARTITION WALL 4</b> with storage</p> <p>Providing, making, fixing and positioning partition wall unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	2000	2400	1		
17	P5	56-57	<p><b>PARTITION WALL 5</b> with storage</p> <p>Providing, making, fixing and positioning partition wall unit with timber/birch ply (18mm) frame having multiple space for the book storage as per the reference drawing. Finished with laquer polish / other suitable finish as discussed with the designer.</p> <p>Instruction: The work shall be done as per the reference drawing and as directed by the Designer. The rate shall be for complete item inclusive of all material, labour, wastages, necessary tools &amp; tackles, adhesives, consumable hardwares &amp; required SS 304 grade hardware/accessories of approved make for all floors, all heights, all levels and all places within campus. Contractor shall do all the needful and shall fulfill designer's design intent. The unit shall be manufactured in parts and these parts shall be assembled at site.</p> <p>Mode of measurement: As per the drawing provided &amp; on site measurement.</p> <p>All construction and the decorative materials must be least classified as flame-retardant class B1 in accordance with DIN 4102 and / or class C s2 d2 in accordance with EN 13501-1. Overhead or the ceiling structures: They must not only be flame retardant, but also must not drip while burning. This corresponds to class C s2 d0 in accordance with EN 13501-1.</p>	1900	2400	1		
<b>RENTED FURNITURE</b>								
Sr. No.	Ref. Code	Description / Details	L (mm)	H (mm)	QNT.	Unit Price	Amount	
18	C1	Cushioned / Uphstered Chair for stage to be selected from available options (intermediate pricing)	std	std	4			
19	C2	Plastic Chair for stalls to be selected from available options (cheapest)	std	std	15			
20	C3	Plastic Chair for lounge area, to be selected from available options (intermediate pricing)	std	std	16			
21	T1	Basic table (wooden top) for stalls to be selected from available options	~600	~700	12			
22	T2	Basic round table (wooden/glass top) for lounge area to be selected from available options	~600	~600	4			
23	T3	Basic round low height table (wooden/glass) for stage to be selected from available options	~300	~300	2			
24	B1	Wooden Benches for stage / audience to be selected from available options	~2500	~300	4			
25	-	Dustbins 10L (dry waste)	std	std	15			
26	-	Dustbins 30L (wet waste)	std	std	2			
<b>ELECTRICALS, LIGHTING &amp; AUDIO VISUAL EQUIPMENT</b>								
Sr. No.	Description / Details	L (mm)	H (mm)	QNT.	Unit Price	Amount		
27	HD TV / Screen for stage	1651 diagonally		1				
28	Laptop with necessary hardware for Screen Connectivity			1				
29	Audio Speaker set up for Stage with audio mixing equipment and cabling as necessary (min 200W)			1				
30	Lapel microphone: Shure / Equivalent			3				
31	Wireless microphone: Shure / Equivalent			3				
32	2700K 10W Adjustable LED Spotlight as per drawings / to be adjusted to site conditions			40				
33	2700K 20W Adjustable LED Washlight as per drawings / to be adjusted to site conditions			15				
34	Multiprise / Sockets as per drawings / to be adjusted to site			30				
<b>GRAPHICS &amp; PRINTING</b>								
Sr. No.	Ref. Code	Drawing Set Page No.	Description / Details	L (mm)	H (mm)	QNT.	Unit Price	Amount
35	A1	61	3mm Sunboard / Forex	2115	4000	1		
36	A2	61	3mm Sunboard / Forex	3620	1150	1		
37	A3	61	3mm Sunboard / Forex	600	1150	1		
38	A4	61	3mm Sunboard / Forex	7700	4000	1		
39	A5	61	3mm Sunboard / Forex	2115	4000	1		
40	A6	61	3mm Sunboard / Forex	3675	4000	1		
41	A7	61	3mm Sunboard / Forex	2115	4000	1		
42	A8	61	3mm Sunboard / Forex	3875	1600	1		
43	A9	61	3mm Sunboard / Forex	3765	1600	1		
44	A10	61	3mm Sunboard / Forex	4000	1600	1		
45	A11.1	61	3mm Sunboard / Forex	780	800	1		
46	A11.2	61	Vinyl Cut on Transfer Single Color	150	1200	2		
47	A12	61	Vinyl Cut on Transfer Single Color	150	1200	1		
48	A13	61	Vinyl Cut on Transfer Single Color	150	1200	1		
49	A14	61	Vinyl Cut on Transfer Single Color	150	1200	1		
50	A15	61	3mm Sunboard / Forex	1030	1150	1		
51	B1	62	3mm Sunboard / Forex	2000	2400	1		
52	B2	62	3mm Sunboard / Forex	2000	2400	1		
53	B3	62	3mm Sunboard / Forex	1850	2400	1		
54	B4	62	3mm Sunboard / Forex	960	2400	1		
55	B5	62	3mm Sunboard / Forex	2500	2400	1		
56	B6	62	3mm Sunboard / Forex	3670	800	1		
57	B7	62	3mm Sunboard / Forex	3670	800	1		

58	<b>B8</b>	62	3mm Sunboard / Forex	3670	800	1			
59	<b>B9</b>	62	3mm Sunboard / Forex	3670	800	1			
60	<b>B10</b>	62	3mm Sunboard / Forex	3670	800	1			
61	<b>B11</b>	62	3mm Sunboard / Forex	3670	800	1			
62	<b>B12</b>	62	3mm Sunboard / Forex	3670	800	1			
63	<b>B13</b>	62	3mm Sunboard / Forex	3670	800	1			
64	<b>B14.1</b>	62	3mm Sunboard / Forex	780	800	1			
65	<b>B14.2</b>	62	Vinyl Cut on Transfer Single Color	150	1200	1			
66	<b>B15.1</b>	62	3mm Sunboard / Forex	780	800	1			
67	<b>B15.2</b>	62	Vinyl Cut on Transfer Single Color	150	1200	1			
68	<b>B16.1</b>	62	3mm Sunboard / Forex	780	800	1			
69	<b>B16.2</b>	62	Vinyl Cut on Transfer Single Color	150	1200	2			
70	<b>B17.1</b>	62	3mm Sunboard / Forex	780	800	1			
71	<b>B17.2</b>	62	Vinyl Cut on Transfer Single Color	150	1200	1			
72	<b>C1</b>	63	3mm Sunboard / Forex	2000	2400	1			
73	<b>C2</b>	63	3mm Sunboard / Forex	18000	2400	1			
74	<b>C3.1</b>	63	3mm Sunboard / Forex	780	800	1			
75	<b>C3.2</b>	63	Vinyl Cut on Transfer Single Color	150	1200	2			
76	<b>C4.1</b>	63	3mm Sunboard / Forex	780	800	1			
77	<b>C4.2</b>	63	Vinyl Cut on Transfer Single Color	150	1200	2			
78	<b>C5.1</b>	63	3mm Sunboard / Forex	780	800	1			
79	<b>C5.2</b>	63	Vinyl Cut on Transfer Single Color	150	1200	2			
80	<b>C6</b>	63	3mm Sunboard / Forex	3670	800	1			
81	<b>C7</b>	63	3mm Sunboard / Forex	3670	800	1			
82	<b>C8</b>	63	3mm Sunboard / Forex	3670	800	1			
83	<b>C9</b>	63	3mm Sunboard / Forex	3670	800	1			
84	<b>C10</b>	63	3mm Sunboard / Forex	3670	800	1			
85	<b>C11</b>	63	3mm Sunboard / Forex	3670	800	1			
86	<b>C12</b>	63	Vinyl Cut on Transfer Single Color	150	1200	1			
87	<b>C13</b>	63	Vinyl Cut on Transfer Single Color	150	1200	1			
88	<b>C14</b>	63	Vinyl Cut on Transfer Single Color	150	1200	1			
89	<b>C15</b>	63	Vinyl Cut on Transfer Single Color	150	1200	1			
<b>Additional Graphic Items can be added for per unit price</b>									
Forex / Sunboard 3mm (please provide rate for any deviant size)				1000	1000	-			
Vinyl Cut on Transfer Single Color (please provide rate for any deviant size)				1000	1000	-			
<b>MISCELLANEOUS</b>									
<b>Sr. No.</b>	<b>Description / Details</b>						<b>Unit Price</b>	<b>Amount</b>	
90	Rigging setup charges for the struss structure, to external agency if required						lumpsum		
91	Electrical power charges to external agency if required for power supply required at the stall for setting up period, fair period and dismantling period						lumpsum		
92	F & B management for 5 days of the fair including Tea - Coffee machine and Water Dispenser with ingredients & condiments as necessary.						lumpsum		
93	F&B management human resource (2 people)						lumpsum		
94	Daily stall cleaning & maintenance during fair period to external agency as required.						lumpsum		
95	Assembling & dismantling charges						lumpsum		
96	Packaging & Transportation Expenses						lumpsum		
97	Project management expenses						lumpsum		
98	Preparation of structural calculation with German building standards which already have been verified by a second independent structural engineer or are verifiable as required by Buchmesse Frankfurt authorities.						lumpsum		
99	Providing all necessary certifications of all materials related to Fire Safety regulations of Buchmesse Frankfurt, as mentioned in the drawings. These certifications must be present at the pavilion at all times.						lumpsum		
100	DB Board and Electrical Wire cabling with safety requirements and proper arrangement as per electrical norms, as required						lumpsum		
101	Coordination with Messe Frankfurt for the following items (mandatory elements to be coordinated with their listed vendors) Advertising Light (spot and electrical sockets and requirements) Cleaning and Hygiene Stand Security Telecommunication / Internet Waste Disposal Water Supply						lumpsum		
<b>BOQ ENDS</b>									