



राष्ट्रीय पुस्तक न्यास, भारत
शिक्षा मंत्रालय, भारत सरकार
NATIONAL BOOK TRUST, INDIA
Ministry of Education, Government of India

**Nehru Bhawan, 5 Institutional Area,
Phase-II, Vasant Kunj, New Delhi – 110 070
Tel.: 011-26707756/868, Fax: 011-2612883**

Website: www.nbtindia.gov.in, E-mail: ad.admn@nbtindia.gov.in

F.No. NBT/Admin/Partition work/

Date: 20th November, 2020

To,

Sub: Inviting of Rates for Aluminium Partition work.

National Book Trust, India (NBT) an autonomous organization of the Government of India, under the Ministry of Education, intends to fabricate aluminium partitions in its HQrs. The Specifications of the aluminium partition work are as under:

Sl.No	Description of work	Area
1.	<p>a) Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, metered and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws and Hinges 4 inch in size :Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron). Frame section of size 2 ½ inch X 1 ½ inch with 15 mm thickness and 16 Gauge. Make Jindal, NALCO, BALCO and Hidalgo. Colour- Ivory.</p> <p>(b)Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm) .Make Modi ,ASI,HNG and Saint Gobin. Colour –Transparent</p> <p>(c) Providing and fixing 12 mm thick pre laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminium doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. Pre-laminated particle board with decorative lamination on both sides or Providing and fixing of 4mm ACP particle sheet.</p>	570 sq foot

	<p>(d) Providing and fixing of 100 mm dia Brass lock for aluminium door including cutting and necessary fitting. Make Godrej or Harrison.</p> <p>(e) Providing and fixing of aluminium tubular handle 32 mm outer dia, 3 mm thick and 210 mm long fitted with SS screws and powder coated.</p> <p>(f) Providing and fixing of aluminium tower bolt size 210X10 mm.</p> <p>(g) Providing and fixing of Hydraulic Door closes on aluminium door with door stopper in each door. Make Godrej.</p>	
2.	<p>(a) Fabrication of MS pipe frame in built up tubular trusses including cutting hoisting fixing in position and applying a priming coat of approved steel primer, welded and bolted including special shaped washers etc. complete.</p> <p>(b) Providing and fixing plastic translucent corrugated/A.C.P sheets made from thermo setting polyester Resin, (Glass fibre reinforced) of thickness 3.00 mm (with variation upto 15% having minimum total light transmission of 80% conforming to IS: 12866 -1989, having length , width and profile in accordance with those of adjoining main roofing sheet, including supplying and fixing fixtures like 8mm dia G.I. 'J' hooks bolts& nuts/self tapping screws as per the main item of roofing sheets, G.I. limpet washer and bitumen washers as per the direction of Engineer –in –charge. Excluding the cost of purling, rafters and trusses</p>	320 Sq foot

Note: The fabrication area / quantities mentioned above may be increased or decreased at the discretion of NBT.

Taking into account the above details, it is requested that the best competitive rate may be quoted in Annexure-I. **Last date for quotation submission is 02.12.2020 by 11:00 hrs.**

Yours Faithfully,

(Mayank Surolia)
Deputy Director (Admin & Estt.)

Encl: As above

To,

**The Deputy Director (Admin & Estt.)
National Book Trust, India
Nehru Bhawan,
5 Institutional Area,
Phase-II, Vasant Kunj,
New Delhi – 110 070**

SUB: QUOTATION FOR ALUMINIUM PARTITION WORK.

Sir,

With reference to your letter F.No. NBT/Admin/Partition work dated 20.12.2020 for fabrication of aluminium partitions. We are pleased to submit our quotation as under:

S.No	Description of work	Area	Cost per Sq feet (Rs)	Total (Rs)
1.	<p>a) Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, metered and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws and Hinges 4 inch in size :Polyester powder coated aluminium (minimum thickness of polyester powder coating 50 micron). Frame section of size 2 ½ inch X 1 ½ inch with 15 mm thickness and 16 Gauge. Make Jindal, NALCO, BALCO and Hidalgo. Colour- Ivory.</p> <p>(b)Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm) .Make Modi ,ASI,HNG and Saint Gobin. Colour –Transparent</p> <p>(c) Providing and fixing 12 mm thick pre laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in paneling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. Pre-laminated particle board with decorative lamination on both sides or Providing and fixing of 4mm ACP particle sheet.</p>	570 sq. foot		

	<p>(d) Providing and fixing of 100 mm dia Brass lock for aluminium door including cutting and necessary fitting. Make Godrej or Harrison.</p> <p>(e) Providing and fixing of aluminium tubular handle 32 mm outer dia, 3 mm thick and 210 mm long fitted with SS screws and powder coated.</p> <p>(f) Providing and fixing of aluminium tower bolt size 210X10 mm.</p> <p>(g) Providing and fixing of Hydraulic Door closes on aluminium door with door stopper in each door. Make Godrej.</p>			
2.	<p>(a) Fabrication of MS pipe frame in built up tubular trusses including cutting hoisting fixing in position and applying a priming coat of approved steel primer, welded and bolted including special shaped washers etc. complete.</p> <p>(b) Providing and fixing plastic translucent corrugated/A.C.P sheets made from thermo setting polyester Resin, (Glass fibre reinforced) of thickness 3.00 mm (with variation upto 15% having minimum total light transmission of 80% conforming to IS: 12866 -1989, having length , width and profile in accordance with those of adjoining main roofing sheet, including supplying and fixing fixtures like 8mm dia G.I. 'J' hooks bolts& nuts/self tapping screws as per the main item of roofing sheets, G.I. limpet washer and bitumen washers as per the direction of Engineer –in –charge. Excluding the cost of purling, rafters and trusses</p>	320 Sq. foot		
	Total Rs.			
	GST as applicable			
	Grand Total Rs.			

Name:

Signature.....

Seal of the Firm with
Name, Address and
Contact Numbers

Date:

Place: