

CORRIGENDUM

Sub.: Tender for NBT Ramanathapuram Book Fair (25 January – 2 February 2014)
for fabrication of stalls/stands and installation of electrical fittings, PA system

The following amendments have been incorporated in the Tender Document :

- 1) In Chapter – 5 & 7 (specification of work/bill of quantity), Item Nos.1 & 2 may be read as “In addition to the specifications given in our Tender Document, we may require one single waterproof super structure with GI sheet roof to cover both passage and stall/stands area as per the following specifications :

The structure should be sturdy and neatly finished. The basic structure is constructed of 6" dia steel tubular pipes of A Class for the pillars and the connecting trusses should be clear span of size (80 ft) is made from 3 inch pipe and cross supported with parlins of 2 ½ inches with a space of 4 ft to make a perfect slope . The roof is made from GCI sheets of 22 guage (without any imperfection of holes fixed with Z clamps).Overlap and extension of the GCI sheet should be 1' on all sides and sufficient slope provided for drainage of water in case of rain. The false ceiling roof covered with hessian cloth on wooden baton and hessian cloth. The flooring of entire structure should be 8 inches height with wooden platform covered stalls and passage area with good quality clean and neat carpet of uniform colour.

Apart from above, 3 tube lights (40 watt each) or 6 CFL (18 watts each) in each stall are required. Only ceiling fan is required and no pedestal/ferrata fan will be required.

The specifications for construction of stalls/stands as given in the Tender Document will remain the same.

The other terms & conditions of the Tender Document will remain the same.